### EMC Standards - Overview 6.0 Rohde & Schwarz



EMC testing is all about standards. Whether you are developing 5G products, automotive equipment, military equipment or something as simple as a common table lamp, your device must meet requirements set by standardization bodies such as IEC, CISPR, ISO, IEEE, CENELEC, ETSI, FCC, ANSI, RTCA or the MIL-STD committee. Enforcement of strict EMC limits can delay product certification, leading to lost revenue, added cost, and redesign headaches.

The number of EMC standards published is steadily increasing. The different types of standards include basic standards, generic standards and product or product family standards.

#### **Basic standards**

Basic standards defining requirements on the measurement apparatus, measurement methods, measurement uncertainty and test facilities. These standards do not include limits. Therefore, they cannot be applied to a specific product or product family for testing. A basic standard come into force by a normative reference in the relevant test standard, e.g. the product standard CISPR 32 on emission measurements for multimedia equipment is referring to the basic standard CISPR 16-1-1 on the applicable measurement apparatus. Most test standards have dated references, that means a specific edition of the basic standard applies. However, if the reference is undated, the latest revision of the basic standards applies.

#### **Generic standards**

Generic standards apply for all cases for which no specific EMC standards yet exist. They are related to a specific operating environment They include EMC requirements and test procedures that are applicable to all products that would need to operate in the described environment. For example, IEC 61000-6-3 describes the required emission measurements for equipment to be used in residential environments.

#### **Product standards**


Product family standards apply to specific products, or product families. They define the applicable measurement methods with corresponding EMC limits for the products that are within the scope of that standard. They also define product-specific requirements, such as operation and arrangement of the EUT.

The product (family) standards are divided into standards limiting low-frequency and high-frequency emission and standards defining the requirements of immunity to electromagnetic emission. Besides, there is a series of specific product standards defining EMC requirements.



## International Electrotechnical Commission (IEC)

The IEC is an international standards organization that prepares and publishes standards for electrical, electronic and related technologies.



IEC standards on EMC are mostly part of the IEC 61000 family. With few exceptions IEC 61000 family is developed by IEC Technical Committee TC77.

#### IEC standards of the IEC 61000 family include:

#### **Basic standards**

IEC 61000-1-2 - Electromagnetic compatibility (EMC) - Part 1-2: General - Methodology for the achievement of functional safety of electrical and electronic systems including equipment with regard to electromagnetic phenomena

IEC 61000-2-2 - Electromagnetic compatibility (EMC) - Part 2-2: Environment - Compatibility levels for low-frequency conducted disturbances and signalling in public low-voltage power supply systems

IEC 61000-2-4 - Electromagnetic compatibility (EMC) - Part 2-4: Environment - Compatibility levels in industrial plants for low-frequency conducted disturbances

IEC 61000-2-9 - Electromagnetic compatibility (EMC) - Part 2: Environment - Section 9: Description of HEMP environment - Radiated disturbance

IEC 61000-2-10 - Electromagnetic compatibility (EMC) - Part 2: Environment - Section 10: Description of HEMP environment - Conducted disturbance

IEC 61000-2-11 - Electromagnetic compatibility (EMC) - Part 2-11: Environment - Classification of HEMP environments

IEC 61000-2-12 - Electromagnetic compatibility (EMC) - Part 2-12: Environment - Compatibility levels for low-frequency conducted disturbances and signalling in public medium-voltage power supply systems

IEC 61000-2-13 - Electromagnetic compatibility (EMC) - Part 2-13: Environment - High-power electromagnetic (HPEM) environments - Radiated and conducted

IEC 61000-3-2 - Electromagnetic compatibility (EMC) - Part 3-2: Limits - Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)

IEC 61000-3-3 - Electromagnetic compatibility (EMC) - Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current  $\leq$  16 A per phase and not subject to conditional connection

IEC 61000-3-8 - Electromagnetic compatibility (EMC) - Part 3-8: Limits - Signalling on low-voltage electrical installations - Emission levels, frequency bands and electromagnetic disturbance levels

IEC 61000-3-11 - Electromagnetic compatibility (EMC) - Part 3-11: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems - Equipment with rated current  $\leq$  75 A and subject to conditional connection

IEC 61000-3-12 - Electromagnetic compatibility (EMC) - Part 3-12: Limits - Limits for harmonic currents produced by equipment connected to public low-voltage systems with input current > 16 A and  $\leq$  75 A per phase

IEC 61000-4-2 - Electromagnetic compatibility (EMC) - Part 4-2: Testing and measurement techniques - Electrostatic discharge immunity test

IEC 61000-4-3 - Electromagnetic compatibility (EMC) - Part 4-3: Testing and measurement techniques - Radiated, radio-frequency, electromagnetic field immunity test

IEC 61000-4-4 - Electromagnetic compatibility (EMC) - Part 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test

IEC 61000-4-5 - Electromagnetic compatibility (EMC) - Part 4-5: Testing and measurement techniques - Surge immunity test

IEC 61000-4-6 - Electromagnetic compatibility (EMC) - Part 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio-frequency fields

IEC 61000-4-7 - Electromagnetic compatibility (EMC) - Part 4-7: Testing and measurement techniques - General guide on harmonics and interharmonics measurements and instrumentation, for power supply systems and equipment connected thereto

IEC 61000-4-8 - Electromagnetic compatibility (EMC) - Part 4-8: Testing and measurement techniques - Power frequency magnetic field immunity test

IEC 61000-4-9 - Electromagnetic compatibility (EMC) - Part 4-9: Testing and measurement techniques - Impulse magnetic field immunity test

IEC 61000-4-10 - Electromagnetic compatibility (EMC) - Part 4-10: Testing and measurement techniques - Damped oscillatory magnetic field immunity test

IEC 61000-4-11 - Electromagnetic compatibility (EMC) - Part 4-11: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current up to 16 A per phase

IEC 61000-4-12 - Electromagnetic compatibility (EMC) - Part 4-12: Testing and measurement techniques - Ring wave immunity tests

IEC 61000-4-13 - Electromagnetic compatibility (EMC) - Part 4-13: Testing and measurement techniques - Harmonics and interharmonics including mains signalling at a.c. power port, low frequency immunity tests

IEC 61000-4-14 - Electromagnetic compatibility (EMC) - Part 4-14: Testing and measurement techniques - Voltage fluctuation immunity test for equipment with input current not exceeding 16 A per phase

IEC 61000-4-15 - Electromagnetic compatibility (EMC) - Part 4-15: Testing and measurement techniques - Flicker meter - Functional and design specifications

IEC 61000-4-16 - Electromagnetic compatibility (EMC) - Part 4-16: Testing and measurement techniques - Test for immunity to conducted, common mode disturbances in the frequency range 0 Hz to 150 kHz

IEC 61000-4-17 - Electromagnetic compatibility (EMC) - Part 4-17: Testing and measurement techniques - Ripple on d.c. input power port immunity test

IEC 61000-4-18 - Electromagnetic compatibility (EMC) - Part 4-18: Testing and measurement techniques - Damped oscillatory wave immunity test

IEC 61000-4-19 - Electromagnetic compatibility (EMC) - Part 4-19: Testing and measurement techniques - Test for immunity to conducted, differential mode disturbances and signalling in the frequency range 2 kHz to 150 kHz at a.c. power ports

IEC 61000-4-20 - Electromagnetic compatibility (EMC) - Part 4-20: Testing and measurement techniques - Emission and immunity testing in transverse electromagnetic (TEM) waveguides

IEC 61000-4-21 - Electromagnetic compatibility (EMC) - Part 4-21: Testing and measurement techniques - Reverberation chamber test methods

IEC 61000-4-22 - Electromagnetic compatibility (EMC) - Part 4-22: Testing and measurement techniques - Radiated emissions and immunity measurements in fully anechoic rooms (FARs)

IEC 61000-4-23 - Electromagnetic compatibility (EMC) - Part 4-23: Testing and measurement techniques - Test methods for protective devices for HEMP and other radiated disturbances

IEC 61000-4-24 - Electromagnetic compatibility (EMC) - Part 4-24: Testing and measurement techniques - Test methods for protective devices for HEMP conducted disturbance

IEC 61000-4-25 - Electromagnetic compatibility (EMC) - Part 4-25: Testing and measurement techniques - HEMP immunity test methods for equipment and systems

IEC 61000-4-27 - Electromagnetic compatibility (EMC) - Part 4-27: Testing and measurement techniques - Unbalance, immunity test for equipment with input current not exceeding 16 A per phase

IEC 61000-4-28 - Electromagnetic compatibility (EMC) - Part 4-28: Testing and measurement techniques - Variation of power frequency, immunity test for equipment with input current not exceeding 16 A per phase

IEC 61000-4-29 - Electromagnetic compatibility (EMC) - Part 4-29: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations on d.c. input power port immunity tests

IEC 61000-4-30 - Electromagnetic compatibility (EMC) - Part 4-30: Testing and measurement techniques - Power quality measurement methods

IEC 61000-4-31 - Electromagnetic compatibility (EMC) - Part 4-31: Testing and measurement techniques - AC mains ports broadband conducted disturbance immunity test

IEC 61000-4-33 - Electromagnetic compatibility (EMC) - Part 4-33: Testing and measurement techniques - Measurement methods for high-power transient parameters

IEC 61000-4-34 - Electromagnetic compatibility (EMC) - Part 4-34: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests for equipment with mains current more than 16 A per phase

IEC 61000-4-36 - Electromagnetic compatibility (EMC) - Part 4-36: Testing and measurement techniques - IEMI immunity test methods for equipment and systems

IEC 61000-4-39 - Electromagnetic compatibility (EMC) - Part 4-39: Testing and measurement techniques - Radiated fields in close proximity - Immunity test

IEC 61000-5-5 - Electromagnetic compatibility (EMC) - Part 5: Installation and mitigation guidelines - Section 5: Specification of protective devices for HEMP conducted disturbance

IEC 61000-5-7 - Electromagnetic compatibility (EMC) - Part 5-7: Degrees of protection provided by enclosures against electromagnetic disturbances (EM code)

#### **Generic standards**

IEC 61000-6-1 - Electromagnetic compatibility (EMC) - Part 6-1: Generic standards - Immunity for residential, commercial and light-industrial environments

IEC 61000-6-2 - Electromagnetic compatibility (EMC) - Part 6-2: Generic standards - Immunity for industrial environments

IEC 61000-6-3 - Electromagnetic compatibility (EMC) - Part 6-3: Generic standards - Emission standard for equipment in residential environments

IEC 61000-6-4 - Electromagnetic compatibility (EMC) - Part 6-4: Generic standards - Emission standard for industrial environments

IEC 61000-6-5 - Electromagnetic compatibility (EMC) - Part 6-5: Generic standards - Immunity for equipment used in power station and substation environment

IEC 61000-6-6 - Electromagnetic compatibility (EMC) - Part 6-6: Generic standards - HEMP immunity for indoor equipment

IEC 61000-6-7 - Electromagnetic compatibility (EMC) - Part 6-7: Generic standards - Immunity requirements for equipment intended to perform functions in a safety-related system (functional safety) in industrial locations

IEC 61000-6-8 - Electromagnetic compatibility (EMC) - Part 6-8: Generic standards - Emission standard for professional equipment in commercial and light-industrial locations

#### **Technical reports and specifications**

IEC TR 61000-1-1 - Electromagnetic compatibility (EMC) - Part 1: General - Section 1: Application and interpretation of fundamental definitions and terms

IEC TR 61000-1-3 - Electromagnetic compatibility (EMC) - Part 1-3: General - The effects of high-altitude EMP (HEMP) on civil equipment and systems

IEC TR 61000-1-4 - Electromagnetic compatibility (EMC) - Part 1-4: General - Historical rationale for the limitation of power-frequency conducted harmonic current emissions from equipment, in the frequency range up to 2 kHz

IEC TR 61000-1-5 - Electromagnetic compatibility (EMC) - Part 1-5: General - High power electromagnetic (HPEM) effects on civil systems

IEC TR 61000-1-6 - Electromagnetic compatibility (EMC) - Part 1-6: General - Guide to the assessment of measurement uncertainty

IEC TR 61000-1-7 - Electromagnetic compatibility (EMC) - Part 1-7: General - Power factor in single-phase systems under non-sinusoidal conditions

IEC TR 61000-1-8 - Electromagnetic compatibility (EMC) - Part 1-8: General - Phase angles of harmonic current emissions and voltages in the public supply networks - Future expectations

IEC TR 61000-2-1 - Electromagnetic compatibility (EMC) - Part 2: Environment - Section 1: Description of the environment - Electromagnetic environment for low-frequency conducted disturbances and signalling in public power supply systems

IEC TR 61000-2-3 - Electromagnetic compatibility (EMC) - Part 2: Environment - Section 3: Description of the environment - Radiated and non-network-frequency-related conducted phenomena

IEC TR 61000-2-5 - Electromagnetic compatibility (EMC) - Part 2-5: Environment - Description and classification of electromagnetic environments

IEC TR 61000-2-6 - Electromagnetic compatibility (EMC) - Part 2: Environment - Section 6: Assessment of the emission levels in the power supply of industrial plants as regards low-frequency conducted disturbances

IEC TR 61000-2-7 - Electromagnetic compatibility (EMC) - Part 2: Environment - Section 7: Low frequency magnetic fields in various environments

IEC TR 61000-2-8 - Electromagnetic compatibility (EMC) - Part 2-8: Environment - Voltage dips and short interruptions on public electric power supply systems with statistical measurement results

IEC TR 61000-2-14 - Electromagnetic compatibility (EMC) - Part 2-14: Environment - Overvoltages on public electricity distribution networks

IEC TS 61000-3-4 - Electromagnetic compatibility (EMC) - Part 3-4: Limits - Limitation of emission of harmonic currents in low-voltage power supply systems for equipment with rated current greater than 16 A (note: for currents > 16 A and  $\leq$  75 A per phase this standard should be replaced with IEC EN 61000-3-12)

IEC TS 61000-3-5 - Electromagnetic compatibility (EMC) - Part 3-5: Limits - Limitation of voltage fluctuations and flicker in low-voltage power supply systems for equipment with rated current greater than 16 A

IEC TR 61000-3-6 - Electromagnetic compatibility (EMC) - Part 3-6: Limits - Assessment of emission limits for the connection of distorting installations to MV, HV and EHV power systems

IEC TR 61000-3-7 - Electromagnetic compatibility (EMC) - Part 3-6: Limits - Assessment of emission limits for the connection of fluctuating installations to MV, HV and EHV power systems

IEC TR 61000-3-13 - Electromagnetic compatibility (EMC) - Part 3-13: Limits - Assessment of emission limits for the connection of unbalanced installations to MV, HV and EHV power systems

IEC TR 61000-3-14 - Electromagnetic compatibility (EMC) - Part 3-14: Limits - Assessment of emission limits for harmonics, interharmonics, voltage fluctuations and unbalance for the connection of disturbing installations to LV power systems

IEC TR 61000-3-15 - Electromagnetic compatibility (EMC) - Part 3-15: Limits - Assessment of low frequency electromagnetic immunity and emission requirements for dispersed generation systems in LV network

IEC TR 61000-4-1 – Electromagnetic compatibility (EMC) - Part 4-1: Testing and measurement techniques - Overview of IEC 61000-4 series

IEC TR 61000-4-32 - Electromagnetic compatibility (EMC) - Part 4-32: Testing and measurement techniques - High-altitude electromagnetic pulse (HEMP) simulator compendium

IEC TR 61000-4-35 - Electromagnetic compatibility (EMC) - Part 4-35: Testing and measurement techniques - HPEM simulator compendium

IEC TR 61000-4-37 - Electromagnetic compatibility (EMC) - Part 4-37: Testing and measurement techniques - Calibration and verification protocol for harmonic emission compliance test systems

IEC TR 61000-4-38 - Electromagnetic compatibility (EMC) - Part 4-38: Testing and measurement techniques - Test, verification and calibration protocol for voltage fluctuation and flicker compliance test systems

IEC TR 61000-4-40 - Electromagnetic compatibility (EMC) - Part 4-40: Testing and measurement techniques - Digital methods for the measurement of power quantities of modulated or distorted signals

IEC TR 61000-5-1 - Electromagnetic compatibility (EMC) - Part 5: Installation and mitigation guidelines - Section 1: General considerations - Basic EMC publication

IEC TR 61000-5-2 - Electromagnetic compatibility (EMC) - Part 5: Installation and mitigation guidelines - Section 2: Earthing and cabling

IEC TR 61000-5-3 - Electromagnetic compatibility (EMC) - Part 5-3: Installation and mitigation guidelines - HEMP protection concepts

IEC TS 61000-5-4 - Electromagnetic compatibility (EMC) - Part 5: Installation and mitigation guidelines -Section 4: Immunity to HEMP - Specifications for protective devices against HEMP radiated disturbance

IEC TR 61000-5-6 - Electromagnetic compatibility (EMC) - Part 5-6: Installation and mitigation guidelines - Mitigation of external EM influences

IEC TS 61000-5-8 - Electromagnetic compatibility (EMC) - Part 5-8: Installation and mitigation guidelines - HEMP protection methods for the distributed infrastructure

IEC TS 61000-5-9 - Electromagnetic compatibility (EMC) - Part 5-9: Installation and mitigation guidelines - System-level susceptibility assessments for HEMP and HPEM

IEC TS 61000-5-10 - Electromagnetic compatibility (EMC) - Part 5-10: Installation and mitigation guidelines - Guidance on the protection of facilities against HEMP and IEMI

#### Reference

https://www.iec.ch/publications

## International special committee on radio interference (CISPR)

CISPR set standards for the protection of radio reception from interference caused by operation of electrical or electronic appliances and systems in the electromagnetic environment, and is a part of IEC.

CISPR's standards cover the measurement of radiated and conducted interference, as well as immunity for some products. CISPR develops generic standards for emission measurements.

#### **CISPR** standards include:

#### **Basic standards**

CISPR 16-1-1 - Specification for radio disturbance and immunity measuring apparatus and methods - Part 1-1: Radio disturbance and immunity measuring apparatus - Measuring apparatus

CISPR 16-1-2 - Specification for radio disturbance and immunity measuring apparatus and methods - Part 1-2: Radio disturbance and immunity measuring apparatus - Coupling devices for conducted disturbance measurements

CISPR 16-1-3 - Specification for radio disturbance and immunity measuring apparatus and methods - Part 1-3: Radio disturbance and immunity measuring apparatus - Ancillary equipment - Disturbance power

CISPR 16-1-4 - Specification for radio disturbance and immunity measuring apparatus and methods - Part 1-4: Radio disturbance and immunity measuring apparatus - Antennas and test sites for radiated disturbance measurements

CISPR 16-1-5 - Specification for radio disturbance and immunity measuring apparatus and methods - Part 1-5: Radio disturbance and immunity measuring apparatus - Antenna calibration sites and reference test sites for 5 MHz to 18 GHz

CISPR 16-1-6 - Specification for radio disturbance and immunity measuring apparatus and methods - Part 1-6: Radio disturbance and immunity measuring apparatus - EMC antenna calibration

CISPR 16-2-1 - Specification for radio disturbance and immunity measuring apparatus and methods - Part 2-1: Methods of measurement of disturbances and immunity - Conducted disturbance measurements

CISPR 16-2-2 - Specification for radio disturbance and immunity measuring apparatus and methods - Part 2-2: Methods of measurement of disturbances and immunity - Measurement of disturbance power

CISPR 16-2-3 - Specification for radio disturbance and immunity measuring apparatus and methods - Part 2-3: Methods of measurement of disturbances and immunity - Radiated disturbance measurements

CISPR 16-2-4 - Specification for radio disturbance and immunity measuring apparatus and methods - Part 2-4: Methods of measurement of disturbances and immunity - Immunity measurements

CISPR 16-4-2 - Specification for radio disturbance and immunity measuring apparatus and methods - Part 4-2: Uncertainties, statistics and limit modelling - Measurement instrumentation uncertainty

CISPR 31 - Database on the characteristics of radio services

#### Generic standards – emission (set by CISPR)

IEC 61000-6-3 - Electromagnetic compatibility (EMC) - Part 6-3: Generic standards - Emission standard for equipment in residential environments

IEC 61000-6-4 - Electromagnetic compatibility (EMC) - Part 6-4: Generic standards - Emission standard for industrial environments

IEC 61000-6-8 - Electromagnetic compatibility (EMC) - Part 6-8: Generic standards - Emission standard for professional equipment in commercial and light-industrial locations

#### Product family standards – emission

CISPR 11 - Industrial, scientific and medical equipment - Radio-frequency disturbance characteristics - Limits and methods of measurement

CISPR 12 - Vehicles, boats and internal combustion engines - Radio disturbance characteristics - Limits and methods of measurement for the protection of off-board receivers

CISPR 14-1 - Electromagnetic compatibility - Requirements for household appliances, electric tools and similar apparatus - Part 1: Emission

CISPR 15 - Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment

CISPR 17 - Methods of measurement of the suppression characteristics of passive radio interference filters and suppression components

CISPR 18-1 - Radio interference characteristics of overhead power lines and high voltage equipment. Part 1: Description of phenomena

CISPR 18-2 - Radio interference characteristics of overhead power lines and high voltage equipment. Part 2: Methods of measurement and procedures for determining limits

CISPR 18-3 - Radio interference characteristics of overhead power lines and high-voltage equipment -Part 3: Code of practice for minimizing the generation of radio noise

CISPR 25 - Vehicles, boats and internal combustion engines - Radio disturbance characteristics - Limits and methods of measurement for the protection of on-board receivers

CISPR 32 - Electromagnetic compatibility of multimedia equipment - Emission requirements (this replaced CISPR 13 and CISPR 22)

CISPR 36 - Electric and hybrid electric road vehicles - Radio disturbance characteristics - Limits and methods of measurement for the protection of off-board receivers below 30 MHz

#### Product family standards – immunity

CISPR 14-2 - Electromagnetic compatibility - Requirements for household appliances, electric tools and similar apparatus - Part 2: Immunity

CISPR 35 - Electromagnetic compatibility of multimedia equipment - Immunity requirements (this replaced CISPR 20 and CISPR 24)

#### **Technical reports**

CISPR TR 16-2-5 - Specification for radio disturbance and immunity measuring apparatus and methods -Part 2-5: In situ measurements for disturbing emissions produced by physically large equipment

CISPR TR 16-3 - Specification for radio disturbance and immunity measuring apparatus and methods - Part 3: CISPR technical reports

CISPR TR 16-4-1 - Specification for radio disturbance and immunity measuring apparatus and methods -Part 4-1: Uncertainties, statistics and limit modelling - Uncertainties in standardized EMC tests

CISPR TR 16-4-3 - Specification for radio disturbance and immunity measuring apparatus and methods -Part 4-3: Uncertainties, statistics and limit modelling - Statistical considerations in the determination of EMC compliance of mass-produced products

CISPR TR 16-4-4 - Specification for radio disturbance and immunity measuring apparatus and methods -Part 4-4: Uncertainties, statistics and limit modelling - Statistics of complaints and a model for the calculation of limits for the protection of radio services

CISPR TR 16-4-5 - Specification for radio disturbance and immunity measuring apparatus and methods -Part 4-5: Uncertainties, statistics and limit modelling - Conditions for the use of alternative test methods

CISPR TR 28 - Industrial, scientific and medical equipment (ISM) - Guidelines for emission levels within the bands designated by the ITU

CISPR TR 29 - Television broadcast receivers and associated equipment - Immunity characteristics -Methods of objective picture assessment

CISPR TR 30-1 - Test method on electromagnetic emissions - Part 1: Electronic control gear for singleand double-capped fluorescent lamps

CISPR TR 30-2 - Test method on electromagnetic emissions - Part 2: Electronic control gear for discharge lamps excluding fluorescent lamps

CISPR TR 31 - Database on the characteristics of radio services

#### Reference

https://www.iec.ch/publications

## International Organization for Standardization (ISO)

ISO is an international standards organization that develops standards in all technology areas requested by industry. Members are the national standard bodies.

ISO standards on EMC are most relevant for road vehicles; earthmoving, agricultural and forestry machinery but also for wheelchairs, lifts, escalators and passenger conveyors as well as active implantable medical devices.

ISO 7176-21 Wheelchairs - Part 21: Requirements and test methods for electromagnetic compatibility of electrically powered wheelchairs and scooters, and battery chargers

ISO 7637 Road vehicles - Electrical disturbances from conduction and coupling

ISO 7637-1 Road vehicles - Electrical disturbances from conduction and coupling - Part 1: Definitions and general considerations

ISO 7637-2 Road vehicles - Electrical disturbances from conduction and coupling - Part 2: Electrical transient conduction along supply lines only

ISO 7637-3 Road vehicles - Electrical disturbances from conduction and coupling - Part 3: Electrical transient transmission by capacitive and inductive coupling via lines other than supply lines

ISO/TS 7637-4 Road vehicles - Electrical disturbances from conduction and coupling - Part 4: Electrical transient conduction along shielded high voltage supply lines only

ISO/TR 7637-5 Road vehicles - Electrical disturbances from conduction and coupling - Part 5: Enhanced definitions and verification methods for harmonization of pulse generators according to ISO 7637

ISO 10605 Road Vehicles - Test methods for electrical disturbances from electrostatic discharge

#### ISO 11451 Road vehicles - Vehicle test methods

ISO 11451-1 Road vehicles – Vehicle test methods for electrical disturbances from narrow band electromagnetic energy – Part 1: General principles and terminology

ISO 11451-2 Road vehicles – Vehicle test methods for electrical disturbances from narrow band electromagnetic energy – Part 2: Off-vehicle radiation sources

ISO 11451-3 Road vehicles - Vehicle test methods for electrical disturbances from narrowband radiated electromagnetic energy - Part 3: On-board transmitter simulation

ISO 11451-4 Road vehicles - Vehicle test methods for electrical disturbances from narrowband radiated electromagnetic energy - Part 4: Bulk current injection (BCI)

ISO 11451-5 Road vehicles - Vehicle test methods for electrical disturbances from narrowband radiated electromagnetic energy - Part 5: Reverberation chamber

#### ISO 11452 Road vehicles - Component test methods

ISO 11452-1 Road vehicles - Component test methods for electrical disturbances from narrowband radiated electromagnetic energy - Part 1: General principles and terminology

ISO 11452-2 Road vehicles - Component test methods for electrical disturbances from narrowband radiated electromagnetic energy - Part 2: Absorber-lines shielded enclosure

ISO 11452-3 Road vehicles - Component test methods for electrical disturbances from narrowband radiated electromagnetic energy - Part 3: Transverse electromagnetic mode (TEM) cell

ISO 11452-4 Road vehicles - Component test methods for electrical disturbances from narrowband radiated electromagnetic energy - Part 4: Harness excitation methods

ISO 11452-5 Road Vehicles - Component test methods for electrical disturbances from narrowband radiated electromagnetic energy - Part 5: Stripline

ISO 11452-6 Road Vehicles - Component test methods for electrical disturbances from narrowband radiated electromagnetic energy - Part 6: Parallel plate antenna (Withdrawn)

ISO 11452-7 Road Vehicles - Component test methods for electrical disturbances from narrowband radiated electromagnetic energy - Part 7: Direct radio frequency (RF) power injection

ISO 11452-8 Road Vehicles - Component test methods for electrical disturbances from narrowband radiated electromagnetic energy - Part 8: Immunity to magnetic fields

ISO 11452-9 Road Vehicles - Component test methods for electrical disturbances from narrowband radiated electromagnetic energy - Part 9: Portable transmitters

ISO 11452-10 Road Vehicles - Component test methods for electrical disturbances from narrowband radiated electromagnetic energy - Part 10: Immunity to conducted disturbances in the extended audio frequency range

ISO 11452-11 Road Vehicles - Component test methods for electrical disturbances from narrowband radiated electromagnetic energy - Part 11: Reverberation chamber

ISO 13766 Earthmoving Machinery and building construction machinery - Electromagnetic Compatibility

ISO 13766-1 Earth-moving and building construction machinery - Electromagnetic compatibility (EMC) of machines with internal electrical power supply - Part 1: General EMC requirements under typical electromagnetic environmental conditions

ISO 13766-2 Earth-moving and building construction machinery - Electromagnetic compatibility (EMC) of machines with internal electrical power supply - Part 2: Additional EMC requirements for functional safety

ISO 14117 Active implantable medical devices — Electromagnetic compatibility — EMC test protocols for implantable cardiac pacemakers, implantable cardioverter defibrillators and cardiac resynchronization devices

ISO 14982 Agricultural and forestry machinery - Electromagnetic compatibility - Test methods and acceptance criteria

ISO/TR 16764 Lifts, escalators and passenger conveyors - Comparison of worldwide standards on electromagnetic interference/electromagnetic compatibility

ISO 21609 Road Vehicles - EMC guidelines for installation of aftermarket radio frequency transmitting equipment

#### Reference

https://www.iso.org/standards.html

# Institute of Electrical and Electronics Engineers (IEEE)

The IEEE EMC Society is an international developer of fundamental test, measurement and verification standards for EMC. The EMC Society's Standards Development & Education Committee (SDECom) gives guidance for the development of IEEE EMC Standards, the training of those involved in the standards making process and the education of the EMC Society community on all aspects of EMC Standards.

IEEE standards on EMC include:

#### Active standards sponsored by SDECom

| Std.139-1988                       | Recommended Practice for the Measurement of RF Emission from ISM Equipment on User's Premises   |
|------------------------------------|---|
| Std. 187-2003                      | Standard Measurement Methods of Emissions from FM and Television Broadcast Receivers in the Frequency Range of 9 kHz to 40 GHz                        |
| Std. 299-2006                      | Standard Method for Measuring the Effectiveness of Shielding Enclosures (ANSI Recognized)   |
| Std. 299.1-2013                    | Standard Method for Measuring the Shielding Effectiveness of Enclosures and Boxes Having Dimensions Between 0.1 m and 2 m                             |
| Std. 370                           | Electrical Characterization of Printed Circuit Board and Related Interconnects at Frequencies up to 50 GHz  |
| Std. 377-1980                      | Recommended Practice on the Measurement of Spurious Emissions from Land-<br>Mobile Comm. Transmitters (ANSI Recognized)                               |
| Project 473                        | Recommended Practice for an Electromagnetic Site Survey (10 kHz to 40 GHz)  |
| Std. 475-2000                      | Measurement Procedure for Field Disturbance Sensors, 300 MHz to 40 GHz (ANSI Recognized)  |
| Std. 1128-1998<br>Project 1128     | Recommended Practice for RF Absorber Evaluation in the Range of 30 MHz to 5 GHz   |
| Std. 1302-2019                     | Guide for the Electromagnetic Characterization of Conductive Gaskets in the Frequency Range of DC to 40 GHz   |
| Std. 1309-2013                     | Standard for Calibration of Electromagnetic Field Sensors and Probes, Excluding Antennas, from 9 kHz to 40 GHz  |
| Std. 1560-2013                     | Methods of Measurement of Radio Frequency Interference Filter Suppression<br>Capability in the Range of 100 Hz to 10 GHz                              |
| Std. 1597.1-2008<br>Project 1597.1 | Standard for validation of CEM Computer Modeling (CEM) and Simulation   |
| Std. 1597.2-2010                   | Recommended Practice for Computational Electromagnetics (CEM) Computer<br>Modeling and Simulation Applications  |
| Std. 1613-2009<br>Project 1613     | Standard for Environmental and Testing Requirements for Devices with<br>Communications Functions in Electric Transmission and Distribution Facilities |
| Std. 1642-2015                     | Recommended Practice for Protecting Public Accessible Computer Systems from Intentional EMI   |
| Std. 1688-2015                     | Standard for Module Electromagnetic Interference (EMI) Testing  |
| Project 1848                       | Techniques & Measures to Manage Risks with Regard to Electromagnetic<br>Disturbances  |

| C37.90 Series | C37.90.1 – Surge protection          |
|---------------|--------------------------------------|
|               | C37.90.2 – Protective Relays         |
|               | C37.90.3 – ESD for protective relays |
|               |                                      |

#### **New Projects**

| Project 1897 | Resolution of Power-Line Gap-Noise Reports   |
|--------------|--|
| Project 2425 | Standard for Electromagnetic Compatibility Testing of Electrical and<br>Instrumentation and Control Equipment at Nuclear Power Generating Stations<br>and Other Nuclear Facilities |
| Project 2665 | Recommended Practice for Statistical Process Control for EMC Test Laboratories   |
| Project 2710 | Electromagnetic Shielding Performance of Enclosures for Portable Electronic<br>Devices   |
| Project 2715 | Guide for the Characterization of the Shielding Effectiveness of Planar Materials  |
| Project 2716 | Guide for the Characterization of the Effectiveness of Printed Circuit Board Level Shielding   |
| Project 2717 | Passive Intermodulation Test Methods for Wireless Systems in Low Noise<br>Environments   |
| Project 2718 | Guide for Near Field Characterization of Unintentional Stochastic Radiators  |
| Project 2838 | Standard for Aircraft Component Lightning Strike Direct Effects Qualification  |
| Project 2855 | Recommended Practice for the Electromagnetic Characterization of<br>Cable/Connector Assembly Shielding Effectiveness in Frequency Range of Direct<br>Current to 40 GHz             |

#### Reference

https://s3.us-east-2.amazonaws.com/ieeesdecom/Standards\_Matrix.pdf

## European Committee for Electrotechnical Standardization

### (CENELEC)

CENELEC produces standards for electrical engineering. Together with ETSI (Information and Communications Technologies) and CEN (other technical areas), it forms the European system for technical standardization.

EMC is a subject of national and international regulation. In Europe, it is regulated through the European Commission's EMC Directive 2014/30/EU and for radio equipment through Radio Equipment Directive 2014/53/EU (RED). These directives are New Approach Directives. As such, they rely for their operation on Harmonised Standards developed by recognized European standards bodies, such as CEN, CENELEC and ETSI. Harmonised Standards define technical characteristics that can be used to demonstrate compliance with the essential requirements of the directive.

The summary below consolidates the references of Harmonised Standards published by the Commission in the Official Journal of the European Union (OJ) under EMC Directive 2014/30/EU (as of 19 September 2022).

#### Harmonised EMC standards drafted by CEN include:

| EN 617:2001+A1:2010                   | Continuous handling equipment and systems - Safety and EMC requirements for the equipment for the storage of bulk materials in silos, bunkers, bins and hoppers   |
|---------------------------------------|---|
| EN 618:2002+A1:2010                   | Continuous handling equipment and systems - Safety and EMC requirements for equipment for mechanical handling of bulk materials except fixed belt conveyors   |
| EN 619:2002+A1:2010                   | Continuous handling equipment and systems - Safety and EMC requirements for equipment for mechanical handling of unit loads   |
| EN 620:2002+A1:2010                   | Continuous handling equipment and systems - Safety and EMC requirements for fixed belt conveyors for bulk materials   |
| EN 1155:1997,<br>EN 1155:1997/A1:2002 | Building hardware - Electrically powered hold-open devices for swing doors - Requirements and test methods  |
| EN 12015:2014                         | Electromagnetic compatibility - Product family standard for lifts, escalators and moving walks - Emission   |
| EN 12016:2013                         | Electromagnetic compatibility - Product family standard for lifts, escalators and moving walks - Immunity   |
| EN 12895:2015                         | Industrial trucks - Electromagnetic compatibility   |
| EN 12895:2015+A1:2019                 | Industrial trucks - Electromagnetic compatibility   |
| EN 13241-1:2003+A1:2011               | Industrial, commercial and garage doors and gates - Product standard -<br>Part 1: Products without fire resistance or smoke control characteristics   |
| EN 13309:2010                         | Construction machinery - Electromagnetic compatibility of machines with internal power supply   |
| EN ISO 13766-1:2018                   | Earth-moving and building construction machinery - Electromagnetic compatibility (EMC) of machines with internal electrical power supply - Part 1: General EMC requirements under typical electromagnetic environmental conditions (ISO 13766-1:2018) |

| EN 14010:2003+A1:2009 | Safety of machinery - Equipment for power driven parking of motor vehicles - Safety and EMC requirements for design, manufacturing, erection and commissioning stages  |
|-----------------------|--|
| EN ISO 14982:2009     | Agricultural and forestry machinery - Electromagnetic compatibility -<br>Test methods and acceptance criteria (ISO 14982:1998)   |
| EN 16361:2013         | Power operated pedestrian doors - Product standard, performance<br>characteristics - Pedestrian doorsets, other than swing type, initially<br>designed for installation with power operation without resistance to fire<br>and smoke leakage characteristics |
| EN 16361:2013+A1:2016 | Power operated pedestrian doors - Product standard, performance characteristics - Pedestrian doorsets, other than swing type, initially designed for installation with power operation   |

#### Harmonised EMC standards drafted by CENELEC include:

| EN 50065-1:2011   | Signalling on low-voltage electrical installations in the frequency range 3 kHz to 148,5 kHz - Part 1: General requirements, frequency bands and electromagnetic disturbances   |
|---|---|
| EN 50065-2-1:2003,<br>EN 50065-2-1:2003/A1:2005,<br>EN 50065-2-1:2003/AC:2003   | Signalling on low-voltage electrical installations in the frequency range 3 kHz to 148,5 kHz - Part 2-1: Immunity requirements for mains communications equipment and systems operating in the range of frequencies 95 kHz to 148,5 kHz and intended for use in residential, commercial and light industrial environments |
| EN 50065-2-2:2003,<br>EN 50065-2-2:2003/A1:2005,<br>EN 50065-2-<br>2:2003/A1:2005/AC:2006,<br>EN 50065-2-2:2003/AC:2003 | Signalling on low-voltage electrical installations in the frequency range 3 kHz to 148,5 kHz - Part 2-2: Immunity requirements for mains communications equipment and systems operating in the range of frequencies 95 kHz to 148,5 kHz and intended for use in industrial environments                                   |
| EN 50065-2-3:2003,<br>EN 50065-2-3:2003/A1:2005,<br>EN 50065-2-3:2003/AC:2003   | Signalling on low-voltage electrical installations in the frequency range 3 kHz to 148,5 kHz - Part 2-3: Immunity requirements for mains communications equipment and systems operating in the range of frequencies 3 kHz to 95 kHz and intended for use by electricity suppliers and distributors                        |
| EN 50083-2:2012,<br>EN 50083-2:2012/A1:2015   | Cable networks for television signals, sound signals and interactive services - Part 2: Electromagnetic compatibility for equipment   |
| EN 50121-1:2006,<br>EN 50121-1:2006/AC:2008   | Railway applications - Electromagnetic compatibility - Part 1: General  |
| EN 50121-2:2006,<br>EN 50121-2:2006/AC:2008   | Railway applications - Electromagnetic compatibility - Part 2: Emission of the whole railway system to the outside world  |
| EN 50121-3-1:2006,<br>EN 50121-3-1:2006/AC:2008   | Railway applications - Electromagnetic compatibility - Part 3-1: Rolling stock - Train and complete vehicle   |
| EN 50121-3-1:2017   | Railway applications - Electromagnetic compatibility - Part 3-1: Rolling stock - Train and complete vehicle   |
| EN 50121-3-2:2006,<br>EN 50121-3-2:2006/AC:2008   | Railway applications - Electromagnetic compatibility - Part 3-2: Rolling stock - Apparatus  |
| EN 50121-3-2:2016   | Railway applications - Electromagnetic compatibility - Part 3-2: Rolling stock - Apparatus  |
| EN 50121-4:2006,<br>EN 50121-4:2006/AC:2008   | Railway applications - Electromagnetic compatibility - Part 4: Emission and immunity of the signalling and telecommunications apparatus   |
| EN 50121-4:2016   | Railway applications - Electromagnetic compatibility - Part 4: Emission and immunity of the signalling and telecommunications apparatus   |

EN 50121-5:2006, Railway applications - Electromagnetic compatibility - Part 5: Emission EN 50121-5:2006/AC:2008 and immunity of fixed power supply installations and apparatus EN 50121-5:2017 Railway applications - Electromagnetic compatibility - Part 5: Emission and immunity of fixed power supply installations and apparatus Alarm systems - Part 4: Electromagnetic compatibility - Product family EN 50130-4:2011 standard: Immunity requirements for components of fire, intruder, hold up, CCTV, access control and social alarm systems EN 50148:1995 Electronic taximeters EN 50270:2006 Electromagnetic compatibility - Electrical apparatus for the detection and measurement of combustible gases, toxic gases or oxygen Electromagnetic compatibility - Electrical apparatus for the detection EN 50270:2015. EN 50270:2015/AC:2016-08 and measurement of combustible gases, toxic gases or oxygen EN 50293:2012 Road traffic signal systems - Electromagnetic compatibility EN 50370-1:2005 Electromagnetic compatibility (EMC) - Product family standard for machine tools - Part 1: Emission EN 50370-2:2003 Electromagnetic compatibility (EMC) - Product family standard for machine tools - Part 2: Immunity Power line communication apparatus and systems used in low-voltage EN 50412-2-1:2005, EN 50412-2-1:2005/AC:2009 installations in the frequency range 1,6 MHz to 30 MHz - Part 2-1: Residential, commercial and industrial environment - Immunity requirements EN 50428:2005. Switches for household and similar fixed electrical installations -EN 50428:2005/A1:2007, Collateral standard - Switches and related accessories for use in home EN 50428:2005/A2:2009 and building electronic systems (HBES) EN 50470-1:2006 Electricity metering equipment (a.c.) - Part 1: General requirements, tests and test conditions - Metering equipment (class indexes A, B and C) EN 50490:2008 Electrical installations for lighting and beaconing of aerodromes -Technical requirements for aeronautical ground lighting control and monitoring systems - Units for selective switching and monitoring of individual lamps General requirements for Home and Building Electronic Systems EN 50491-5-1:2010 (HBES) and Building Automation and Control Systems (BACS) - Part 5-1: EMC requirements, conditions and test set-up EN 50491-5-2:2010 General requirements for Home and Building Electronic Systems (HBES) and Building Automation and Control Systems (BACS) - Part 5-2: EMC requirements for HBES/BACS used in residential, commercial and light industry environment General requirements for Home and Building Electronic Systems EN 50491-5-3:2010 (HBES) and Building Automation and Control Systems (BACS) - Part 5-3: EMC requirements for HBES/BACS used in industry environment EN 50498:2010 Electromagnetic compatibility (EMC) - Product family standard for aftermarket electronic equipment in vehicles EN 50512:2009 Electrical installations for lighting and beaconing of aerodromes -Advanced Visual Docking Guidance Systems (A-VDGS) EMC Network Standard - Part 1: Wire-line telecommunications EN 50529-1:2010 networks using telephone wires EN 50529-2:2010 EMC Network Standard - Part 2: Wire-line telecommunications networks using coaxial cables

EN 50550:2011, EN 50550:2011/AC:2012, EN 50550:2011/A1:2014

EN 50557:2011

EN 50561-1:2013, EN 50561-1:2013/AC:2015

EN 55011:2009, EN 55011:2009/A1:2010

EN 55011:2016, EN 55011:2016/A1:2017, EN 55011:2016/A11:2020

EN 55012:2007, EN 55012:2007/A1:2009

EN 55014-1:2006, EN 55014-1:2006/A1:2009, EN 55014-1:2006/A2:2011

EN 55014-1:2017, EN 55014-1:2017/A11:2020

EN 55014-2:1997, EN 55014-2:1997/A1:2001, EN 55014-2:1997/A2:2008, EN 55014-2:1997/AC:1997

EN 55015:2006, EN 55015:2006/A1:2007, EN 55015:2006/A2:2009

EN 55015:2013

EN IEC 55015:2019, EN IEC 55015:2019/A11:2020

EN 55022:2010, EN 55022:2010/AC:2011

EN 55024:2010

EN 55032:2012, EN 55032:2012/AC:2013

EN 55032:2015, EN 55032:2015/A11:2020

EN 55035:2017

EN 55035:2017, EN 55035:2017/A11:2020

EN 55103-1:2009, EN 55103-1:2009/A1:2012

EN 55103-2:2009

Power frequency overvoltage protective device for household and similar applications (POP)

Requirements for automatic reclosing devices (ARDs) for circuit breakers-RCBOs-RCCBs for household and similar uses

Power line communication apparatus used in low-voltage installations -Radio disturbance characteristics - Limits and methods of measurement - Part 1: Apparatus for in-home use

Industrial, scientific and medical equipment - Radio-frequency disturbance characteristics - Limits and methods of measurement

Industrial, scientific and medical equipment - Radio-frequency disturbance characteristics - Limits and methods of measurement

Vehicles, boats and internal combustion engines - Radio disturbance characteristics - Limits and methods of measurement for the protection of off-board receivers

Electromagnetic compatibility - Requirements for household appliances, electric tools and similar apparatus - Part 1: Emission

Electromagnetic compatibility - Requirements for household appliances, electric tools and similar apparatus - Part 1: Emission

Electromagnetic compatibility - Requirements for household appliances, electric tools and similar apparatus - Part 2: Immunity -Product family standard

Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment

Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment

Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment

Information technology equipment - Radio disturbance characteristics -Limits and methods of measurement

Information technology equipment - Immunity characteristics - Limits and methods of measurement

Electromagnetic compatibility of multimedia equipment - Emission requirements

Electromagnetic compatibility of multimedia equipment - Emission Requirements

Electromagnetic compatibility of multimedia equipment - Immunity requirements

Electromagnetic compatibility of multimedia equipment - Immunity requirements

Electromagnetic compatibility - Product family standard for audio, video, audio-visual and entertainment lighting control apparatus for professional use - Part 1: Emissions

Electromagnetic compatibility - Product family standard for audio, video, audio-visual and entertainment lighting control apparatus for professional use - Part 2: Immunity

EN 60034-1:2010, Rotating electrical machines - Part 1: Rating and performance EN 60034-1:2010/AC:2010 EN 60204-31:1998 Safety of machinery - Electrical equipment of machines - Part 31: Particular safety and EMC requirements for sewing machines, units and systems EN 60204-31:2013 Safety of machinery - Electrical equipment of machines - Part 31: Particular safety and EMC requirements for sewing machines, units and systems EN 60255-26:2013, Measuring relays and protection equipment - Part 26: Electromagnetic EN 60255-26:2013/AC:2013 compatibility requirements EN 60669-2-1:2004, Switches for household and similar fixed electrical installations - Part 2-EN 60669-2-1:2004/A1:2009, 1: Particular requirements - Electronic switches EN 60669-2-1:2004/A12:2010, EN 60669-2-1:2004/AC:2007 EN 60730-1:2000, Automatic electrical controls for household and similar use - Part 1: EN 60730-1:2000/A1:2004. General requirements EN 60730-1:2000/A16:2007, EN 60730-1:2000/A2:2008, EN 60730-1:2000/A16:2007/AC:2010, EN 60730-1:2000/AC:2007 EN 60730-1:2011 Automatic electrical controls for household and similar use - Part 1: General requirements Automatic electrical controls for household and similar use - Part 2-5: EN 60730-2-5:2002, EN 60730-2-5:2002/A11:2005, Particular requirements for automatic electrical burner control systems EN 60730-2-5:2002/A1:2004, EN 60730-2-5:2002/A2:2010 EN 60730-2-6:2008 Automatic electrical controls for household and similar use - Part 2-6: Particular requirements for automatic electrical pressure sensing controls including mechanical requirements Automatic electrical controls for household and similar use - Part 2-7: EN 60730-2-7:2010, EN 60730-2-7:2010/AC:2011 Particular requirements for timers and time switches EN 60730-2-8:2002, Automatic electrical controls for household and similar use - Part 2-8: EN 60730-2-8:2002/A1:2003 Particular requirements for electrically operated water valves, including mechanical requirements EN 60730-2-9:2010 Automatic electrical controls for household and similar use - Part 2-9: Particular requirements for temperature sensing controls Automatic electrical controls for household and similar use - Part 2-14: EN 60730-2-14:1997, EN 60730-2-14:1997/A1:2001 Particular requirements for electric actuators EN 60730-2-15:2010 Automatic electrical controls for household and similar use - Part 2-15: Particular requirements for automatic electrical air flow, water flow and water level sensing controls Telecontrol equipment and systems - Part 2: Operating conditions -EN 60870-2-1:1996 Section 1: Power supply and electromagnetic compatibility EN 60945:2002 Maritime navigation and radiocommunication equipment and systems -General requirements - Methods of testing and required test results EN 60947-1:2007, Low-voltage switchgear and controlgear - Part 1: General rules EN 60947-1:2007/A1:2011, EN 60947-1:2007/A2:2014

EN 60947-2:2006. Low-voltage switchgear and controlgear - Part 2: Circuit-breakers EN 60947-2:2006/A1:2009, EN 60947-2:2006/A2:2013 EN 60947-3:2009, Low-voltage switchgear and controlgear - Part 3: Switches, EN 60947-3:2009/A1:2012 disconnectors, switch-disconnectors and fuse-combination units EN IEC 60947-3:2021 Low-voltage switchgear and controlgear - Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units Low-voltage switchgear and controlgear - Part 4-1: Contactors and EN 60947-4-1:2010, EN 60947-4-1:2010/A1:2012 motor-starters - Electromechanical contactors and motor-starters EN IEC 60947-4-1:2019 Low-voltage switchgear and controlgear - Part 4-1: Contactors and motor-starters - Electromechanical contactors and motor-starters Low-voltage switchgear and controlgear - Part 4-2: Contactors and EN 60947-4-2:2012 motor-starters - AC semiconductor motor controllers and starters Low-voltage switchgear and controlgear - Part 4-3: Contactors and EN 60947-4-3:2000, EN 60947-4-3:2000/A1:2006. motor-starters - AC semiconductor controllers and contactors for non-EN 60947-4-3:2000/A2:2011 motor loads EN 60947-4-3:2014 Low-voltage switchgear and controlgear - Part 4-3: Contactors and motor-starters - AC semiconductor controllers and contactors for nonmotor loads Low-voltage switchgear and controlgear - Part 5-1: Control circuit EN 60947-5-1:2004, EN 60947-5-1:2004/A1:2009, devices and switching elements - Electromechanical control circuit EN 60947-5-1:2004/AC:2004, devices EN 60947-5-1:2004/AC:2005 Low-voltage switchgear and controlgear - Part 5-2: Control circuit EN 60947-5-2:2007, EN 60947-5-2:2007/A1:2012 devices and switching elements - Proximity switches EN IEC 60947-5-2:2020 Low-voltage switchgear and controlgear - Part 5-2: Control circuit devices and switching elements - Proximity switches EN 60947-5-3:1999. Low-voltage switchgear and controlgear - Part 5-3: Control circuit EN 60947-5-3:1999/A1:2005 devices and switching elements - Requirements for proximity devices with defined behaviour under fault conditions (PDF) Low-voltage switchgear and controlgear - Part 5-6: Control circuit EN 60947-5-6:2000 devices and switching elements - DC interface for proximity sensors and switching amplifiers (NAMUR) Low-voltage switchgear and controlgear - Part 5-7: Control circuit EN 60947-5-7:2003 devices and switching elements - Requirements for proximity devices with analogue output EN 60947-5-9:2007 Low-voltage switchgear and controlgear - Part 5-9: Control circuit devices and switching elements - Flow rate switches EN 60947-6-1:2005. Low-voltage switchgear and controlgear - Part 6-1: Multiple function EN 60947-6-1:2005/A1:2014 equipment - Transfer switching equipment EN 60947-6-2:2003. Low-voltage switchgear and controlgear - Part 6-2: Multiple function EN 60947-6-2:2003/A1:2007 equipment - Control and protective switching devices (or equipment) (CPS) EN 60947-8:2003, Low-voltage switchgear and controlgear - Part 8: Control units for builtin thermal protection (PTC) for rotating electrical machines EN 60947-8:2003/A1:2006, EN 60947-8:2003/A2:2012 EN IEC 60947-9-1:2019 Low-voltage switchgear and controlgear - Part 9-1: Active arc-fault mitigation systems - Arc quenching devices EN 60974-10:2007 Arc welding equipment - Part 10: Electromagnetic compatibility (EMC) requirements

| EN 60974-10:2014,<br>EN 60974-10:2014/A1:2015   | Arc welding equipment - Part 10: Electromagnetic compatibility (EMC) requirements   |
|---|---|
| EN 61000-3-2:2006,<br>EN 61000-3-2:2006/A1:2009,<br>EN 61000-3-2:2006/A2:2009   | Electromagnetic compatibility (EMC) - Part 3-2: Limits - Limits for harmonic current emissions (equipment input current &It= 16 A per phase)  |
| EN 61000-3-2:2014   | Electromagnetic compatibility (EMC) - Part 3-2: Limits - Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)   |
| EN 61000-3-3:2008   | Electromagnetic compatibility (EMC) - Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current &It= 16 A per phase and not subject to conditional connection |
| EN 61000-3-3:2013   | Electromagnetic compatibility (EMC) - Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current &It= 16 A per phase and not subject to conditional connection |
| EN 61000-3-11:2000  | Electromagnetic compatibility (EMC) - Part 3-11: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems - Equipment with rated current &It= 75 A and subject to conditional connection                 |
| EN 61000-3-12:2011  | Electromagnetic compatibility (EMC) - Part 3-12: Limits - Limits for harmonic currents produced by equipment connected to public low-voltage systems with input current > 16 A and <= 75 A per phase  |
| EN 61000-6-1:2007   | Electromagnetic compatibility (EMC) - Part 6-1: Generic standards -<br>Immunity for residential, commercial and light-industrial environments   |
| EN 61000-6-2:2005,<br>EN 61000-6-2:2005/AC:2005   | Electromagnetic compatibility (EMC) - Part 6-2: Generic standards -<br>Immunity for industrial environments   |
| EN 61000-6-3:2007,<br>EN 61000-6-<br>3:2007/A1:2011/AC:2012,<br>EN 61000-6-3:2007/A1:2011   | Electromagnetic compatibility (EMC) - Part 6-3: Generic standards -<br>Emission standard for residential, commercial and light-industrial<br>environments   |
| EN 61000-6-4:2007,<br>EN 61000-6-4:2007/A1:2011   | Electromagnetic compatibility (EMC) - Part 6-4: Generic standards -<br>Emission standard for industrial environments  |
| EN 61000-6-5:2015   | Electromagnetic compatibility (EMC) - Part 6-5: Generic standards -<br>Immunity for equipment used in power station and substation<br>environment   |
| EN 61000-6-5:2015,<br>EN 61000-6-5:2015/AC:2018-01  | Electromagnetic compatibility (EMC) - Part 6-5: Generic standards -<br>Immunity for equipment used in power station and substation<br>environment   |
| EN 61008-1:2004,<br>EN 61008-1:2004/A11:2007,<br>EN 61008-1:2004/A12:2009,<br>EN 61008-1:2004/A13:2012                              | Residual current operated circuit-breakers without integral overcurrent protection for household and similar uses (RCCB's) - Part 1: General rules  |
| EN 61008-1:2012,<br>EN 61008-1:2012/A1:2014   | Residual current operated circuit-breakers without integral overcurrent protection for household and similar uses (RCCBs) - Part 1: General rules   |
| EN 61009-1:2004,<br>EN 61009-1:2004/A11:2008,<br>EN 61009-1:2004/A12:2009,<br>EN 61009-1:2004/A13:2009,<br>EN 61009-1:2004/A14:2012 | Residual current operated circuit-breakers with integral overcurrent protection for household and similar uses (RCBO's) - Part 1: General rules   |

| EN 61009-1:2012                                | Residual current operated circuit-breakers with integral overcurrent protection for household and similar uses (RCBOs) - Part 1: General rules   |
|--|--|
| EN 61009-1:2012,<br>EN 61009-1:2012/A13:2021   | Residual current operated circuit-breakers with integral overcurrent protection for household and similar uses (RCBOs) - Part 1: General rules   |
| EN IEC 61058-1:2018                            | Switches for appliances - Part 1: General requirements   |
| EN 61131-2:2007                                | Programmable controllers - Part 2: Equipment requirements and tests  |
| EN 61204-3:2000                                | Low voltage power supplies, d.c. output - Part 3: Electromagnetic compatibility (EMC)  |
| EN 61326-1:2013                                | Electrical equipment for measurement, control and laboratory use -<br>EMC requirements - Part 1: General requirements  |
| EN 61326-2-1:2013                              | Electrical equipment for measurement, control and laboratory use -<br>EMC requirements - Part 2-1: Particular requirements - Test<br>configurations, operational conditions and performance criteria for<br>sensitive test and measurement equipment for EMC unprotected<br>applications   |
| EN 61326-2-2:2013                              | Electrical equipment for measurement, control and laboratory use -<br>EMC requirements - Part 2-2: Particular requirements - Test<br>configurations, operational conditions and performance criteria for<br>portable test, measuring and monitoring equipment used in low-voltage<br>distribution systems                                      |
| EN 61326-2-3:2013                              | Electrical equipment for measurement, control and laboratory use -<br>EMC requirements - Part 2-3: Particular requirements - Test<br>configuration, operational conditions and performance criteria for<br>transducers with integrated or remote signal conditioning   |
| EN 61326-2-4:2013                              | Electrical equipment for measurement, control and laboratory use -<br>EMC requirements - Part 2-4: Particular requirements - Test<br>configurations, operational conditions and performance criteria for<br>insulation monitoring devices according to IEC 61557-8 and for<br>equipment for insulation fault location according to IEC 61557-9 |
| EN 61326-2-5:2013                              | Electrical equipment for measurement, control and laboratory use -<br>EMC requirements - Part 2-5: Particular requirements - Test<br>configurations, operational conditions and performance criteria for<br>devices with field bus interfaces according to IEC 61784-1   |
| EN 61439-1:2011                                | Low-voltage switchgear and controlgear assemblies - Part 1: General rules  |
| EN 61439-2:2011                                | Low-voltage switchgear and controlgear assemblies - Part 2: Power switchgear and controlgear assemblies  |
| EN 61439-3:2012                                | Low-voltage switchgear and controlgear assemblies - Part 3:<br>Distribution boards intended to be operated by ordinary persons (DBO)   |
| EN 61439-3:2012,<br>EN 61439-3:2012/AC:2019-04 | Low-voltage switchgear and controlgear assemblies - Part 3:<br>Distribution boards intended to be operated by ordinary persons (DBO)   |
| EN 61439-4:2013                                | Low-voltage switchgear and controlgear assemblies - Part 4: Particular requirements for assemblies for construction sites (ACS)  |
| EN 61439-5:2011                                | Low-voltage switchgear and controlgear assemblies - Part 5:<br>Assemblies for power distribution in public networks  |
| EN 61439-6:2012                                | Low-voltage switchgear and controlgear assemblies - Part 6: Busbar trunking systems (busways)  |

EN 61543:1995. Residual current-operated protective devices (RCDs) for household EN 61543:1995/A11:2003, and similar use - Electromagnetic compatibility EN 61543:1995/A12:2005, EN 61543:1995/A2:2006, ΕN 61543:1995/A11:2003/AC:2004, EN 61543:1995/AC:1997 EN 61547:2009 Equipment for general lighting purposes - EMC immunity requirements EN 61557-12:2008 Electrical safety in low voltage distribution systems up to 1 000 V a.c. and 1 500 V d.c. - Equipment for testing, measuring or monitoring of protective measures - Part 12: Performance measuring and monitoring devices (PMD) Adjustable speed electrical power drive systems - Part 3: EMC EN 61800-3:2004, EN 61800-3:2004/A1:2012 requirements and specific test methods EN 61812-1:2011 Time relays for industrial and residential use - Part 1: Requirements and tests EN 62020:1998, Electrical accessories - Residual current monitors for household and EN 62020:1998/A1:2005 similar uses (RCMs) Low-voltage switchgear and controlgear - Controller-device interfaces EN 62026-1:2007 (CDIs) - Part 1: General rules EN 62026-2:2013 Low-voltage switchgear and controlgear - Controller-device interfaces (CDIs) - Part 2: Actuator sensor interface (AS-i) EN 62026-2:2013, Low-voltage switchgear and controlgear - Controller-device interfaces EN 62026-2:2013/A1:2019 (CDIs) - Part 2: Actuator sensor interface (AS-i) Low-voltage switchgear and controlgear - Controller-device interfaces EN 62026-3:2009 (CDIs) - Part 3: DeviceNet EN 62026-7:2013 Low-voltage switchgear and controlgear - Controller-device interfaces (CDIs) - Part 7: CompoNet EN 62040-2:2006, Uninterruptible power systems (UPS) - Part 2: Electromagnetic EN 62040-2:2006/AC:2006 compatibility (EMC) requirements Electricity metering equipment (AC) - General requirements, tests and EN 62052-11:2003 test conditions - Part 11: Metering equipment Electricity metering equipment (a.c.) - General requirements, tests and EN 62052-21:2004 test conditions - Part 21: Tariff and load control equipment EN 62053-11:2003 Electricity metering equipment (a.c.) - Particular requirements - Part 11: Electromechanical meters for active energy (classes 0.5, 1 and 2) EN 62053-21:2003 Electricity metering equipment (a.c.) - Particular requirements - Part 21: Static meters for active energy (classes 1 and 2) Electricity metering equipment - Particular requirements - Part 21: EN IEC 62053-21:2021, EN IEC 62053-21:2021/A11:2021 Static meters for AC active energy (classes 0,5, 1 and 2) EN 62053-22:2003 Electricity metering equipment (a.c.) - Particular requirements - Part 22: Static meters for active energy (classes 0,2 S and 0,5 S) Electricity metering equipment - Particular requirements - Part 22: EN IEC 62053-22:2021, EN IEC 62053-22:2021/A11:2021 Static meters for AC active energy (classes 0,1S, 0,2S and 0,5S) EN 62053-23:2003 Electricity metering equipment (a.c.) - Particular requirements - Part 23: Static meters for reactive energy (classes 2 and 3) EN IEC 62053-23:2021, Electricity metering equipment - Particular requirements - Part 23: Static meters for reactive energy (classes 2 and 3) EN IEC 62053-23:2021/A11:2021 Electricity metering equipment - Particular requirements - Part 24: EN IEC 62053-24:2021, EN IEC 62053-24:2021/A11:2021 Static meters for fundamental component reactive energy (classes 0,5S, 1S, 1, 2 and 3)

| EN 62054-11:2004 | Electricity metering (a.c.) - Tariff and load control - Part 11: Particular requirements for electronic ripple control receivers                                  |
|------------------|---|
| EN 62054-21:2004 | Electricity metering (a.c.) - Tariff and load control - Part 21: Particular requirements for time switches  |
| EN 62135-2:2008  | Resistance welding equipment - Part 2: Electromagnetic compatibility (EMC) requirements   |
| EN 62310-2:2007  | Static transfer systems (STS) - Part 2: Electromagnetic compatibility (EMC) requirements  |
| EN 62423:2009    | Type B residual current operated circuit-breakers with and without integral overcurrent protection for household and similar uses (Type B RCCBs and Type B RCBOs) |
| EN 62423:2012    | Type F and type B residual current operated circuit-breakers with and without integral overcurrent protection for household and similar uses                      |
| EN 62586-1:2014  | Power quality measurement in power supply systems - Part 1: Power quality instruments (PQI)   |
| EN 62586-2:2014  | Power quality measurement in power supply systems - Part 2: Functional tests and uncertainty requirements   |
| EN 62606:2013    | General requirements for arc fault detection devices  |
| EN 63024:2018    | Requirements for automatic reclosing devices (ARDs) for circuit-<br>breakers, RCBOs and RCCBs for household and similar uses                                      |

#### Harmonised EMC standards drafted by ETSI include:

| EN 300 386 V1.6.1    | Electromagnetic compatibility and Radio spectrum Matters (ERM);<br>Telecommunication network equipment; Electro Magnetic Compatibility<br>(EMC) requirements  |
|----------------------|---|
| EN 301 489-1 V1.9.2  | Electromagnetic compatibility and Radio spectrum Matters (ERM);<br>Electro Magnetic Compatibility (EMC) standard for radio equipment and<br>services; Part 1: Common technical requirements   |
| EN 301 489-34 V1.4.1 | Electromagnetic compatibility and Radio spectrum Matters (ERM);<br>Electro Magnetic Compatibility (EMC) standard for radio equipment and<br>services; Part 34: Specific conditions for External Power Supply (EPS)<br>for mobile phones |

#### Reference

https://ec.europa.eu/docsroom/documents/51315

### **European Telecommunications Standards Institute** (ETSI)

ETSI produces globally applicable standards for Information and Communications Technologies (ICT) enabled systems, applications and services. This includes fixed and mobile radio, broadcast and internet technologies.

EMC is a subject of national and international regulation. In Europe it is regulated through the European Commission's EMC Directive 2014/30/EU and for radio equipment through Radio Equipment Directive 2014/53/EU (RED). These directives are New Approach Directives. As such, they rely for their operation on Harmonised Standards developed by recognized European standards bodies, such as CEN, CENELEC and ETSI. Harmonised Standards define technical characteristics that can be used to demonstrate compliance with the essential requirements of the directive.

The summary below consolidates the references of Harmonised Standards published by the Commission in the Official Journal of the European Union (OJ) under Radio Equipment Directive 2014/53/EU (as of 10 November 2022).

#### Harmonised EMC standards drafted by ETSI include:

| EN 300 065 V2.1.2   | Narrow-band direct-printing telegraph equipment for receiving<br>meteorological or navigational information (NAVTEX); Harmonised<br>Standard covering the essential requirements of articles 3.2 and 3.3(g) of<br>the Directive 2014/53/EU                  |
|---------------------|---|
| EN 300 224 V2.1.1   | Land Mobile Service; Radio Equipment for use in a Paging Service<br>operating within the frequency range 25 MHz - 470 MHz; Harmonised<br>Standard covering the essential requirements of article 3.2 of Directive<br>2014/53/EU                             |
| EN 302 065-2 V2.1.1 | Short Range Devices (SRD) using Ultra Wide Band technology (UWB);<br>Harmonised Standard covering the essential requirements of article 3.2 of<br>the Directive 2014/53/EU; Part 2: Requirements for UWB location tracking                                  |
| EN 302 065-3 V2.1.1 | Short Range Devices (SRD) using Ultra Wide Band technology (UWB);<br>Harmonised Standard covering the essential requirements of article 3.2 of<br>the Directive 2014/53/EU; Part 3: Requirements for UWB devices for<br>ground based vehicular applications |
| EN 302 217-2 V3.2.2 | Fixed Radio Systems; Characteristics and requirements for point-to-point equipment and antennas; Part 2: Digital systems operating in frequency bands from 1 GHz to 86 GHz; Harmonised Standard for access to radio spectrum                                |
| EN 302 065-4 V1.1.1 | Short Range Devices (SRD) using Ultra Wide Band technology (UWB);<br>Harmonised Standard covering the essential requirements of article 3.2 of<br>the Directive 2014/53/EU; Part 4: Material Sensing devices using UWB<br>technology below 10,6 GHz         |
| EN 302 208 V3.3.1   | Radio Frequency Identification Equipment operating in the band 865 MHz to 868 MHz with power levels up to 2 W and in the band 915 MHz to 921 MHz with power levels up to 4 W; Harmonised Standard for access to radio spectrum                              |
| EN 302 066-2 V1.2.1 | Electromagnetic compatibility and Radio spectrum Matters (ERM);<br>Ground- and Wall- Probing Radar applications (GPR/WPR) imaging<br>systems; Part 2: Harmonized EN covering essential requirements of article<br>3.2 of the RTTE Directive                 |

| EN 302 077-2 V1.1.1   | Electromagnetic compatibility and Radio spectrum Matters (ERM);<br>Transmitting equipment for the Terrestrial - Digital Audio Broadcasting (T-<br>DAB) service; Part 2: Harmonized EN under article 3.2 of the RTTE<br>Directive  |
|-----------------------|---|
| EN 302 186 V2.1.1     | Satellite Earth Stations and Systems (SES); Harmonised Standard for satellite mobile Aircraft Earth Stations (AESs) operating in the 11/12/14 GHz frequency bands covering the essential requirements of article 3.2 of the Directive 2014/53/EU  |
| EN 302 194-2 V1.1.2   | Electromagnetic compatibility and Radio spectrum Matters (ERM);<br>Navigation radar used on inland waterways; Part 2: Harmonized EN<br>covering essential requirements of article 3.2 of the RTTE Directive   |
| EN 302 195 V2.1.1     | Short Range Devices (SRD); Ultra Low Power Active Medical Implants (ULP-AMI) and accessories (ULP-AMI-P) operating in the frequency range 9 kHz to 315 kHz Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU   |
| EN 300 224-2 V1.1.1   | Electromagnetic compatibility and Radio spectrum Matters (ERM); On-site paging service; Part 2: Harmonized EN under article 3.2 of the RTTE Directive   |
| EN 302 208 V3.1.1     | Radio Frequency Identification Equipment operating in the band 865 MHz to 868 MHz with power levels up to 2 W and in the band 915 MHz to 921 MHz with power levels up to 4 W; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU                                  |
| EN 302 217-2 V3.1.1   | Fixed Radio Systems; Characteristics and requirements for point-to-point equipment and antennas; Part 2: Digital systems operating in frequency bands from 1 GHz to 86 GHz; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU  |
| EN 302 217-2-2 V2.2.1 | Fixed Radio Systems; Characteristics and requirements for point-to-point equipment and antennas; Part 2-2: Digital systems operating in frequency bands where frequency co-ordination is applied; Harmonized EN covering the essential requirements of article 3.2 of the RTTE Directive                          |
| EN 302 245-2 V1.1.1   | Electromagnetic compatibility and Radio spectrum Matters (ERM);<br>Transmitting equipment for the Digital Radio Mondiale (DRM) broadcasting<br>service Part 2: Harmonized EN under article 3.2 of the RTTE Directive  |
| EN 302 248 V2.1.1     | Navigation radar for use on non-SOLAS vessels; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU   |
| EN 302 264-2 V1.1.1   | Electromagnetic compatibility and Radio spectrum Matters (ERM); Short<br>Range Devices; Road Transport and Traffic Telematics (RTTT); Short<br>Range Radar equipment operating in the 77 GHz to 81 GHz band; Part 2:<br>Harmonized EN covering the essential requirements of article 3.2 of the<br>RTTE Directive |
| EN 302 288-2 V1.6.1   | Electromagnetic compatibility and Radio spectrum Matters (ERM); Short<br>Range Devices; Road Transport and Traffic Telematics (RTTT); Short<br>range radar equipment operating in the 24 GHz range; Part 2: Harmonized<br>EN covering the essential requirements of article 3.2 of the RTTE Directive             |
| EN 302 296-2 V1.2.1   | Electromagnetic compatibility and Radio spectrum Matters (ERM);<br>Transmitting equipment for the digital television broadcast service,<br>Terrestrial (DVB-T); Part 2: Harmonized EN covering the essential<br>requirements of article 3.2 of the RTTE Directive   |
| EN 300 296 V2.1.1     | Land Mobile Service; Radio equipment using integral antennas intended<br>primarily for analogue speech; Harmonised Standard covering the<br>essential requirements of article 3.2 of the Directive 2014/53/EU   |

| EN 302 326-2 V1.2.2  | Fixed Radio Systems; Multipoint Equipment and Antennas; Part 2:<br>Harmonized EN covering the essential requirements of article 3.2 of the<br>RTTE Directive for Digital Multipoint Radio Equipment   |
|----------------------|---|
| EN 302 340 V2.1.1    | Satellite Earth Stations and Systems (SES); Harmonised Standard for<br>satellite Earth Stations on board Vessels (ESVs) operating in the 11/12/14<br>GHz frequency bands allocated to the Fixed Satellite Service (FSS)<br>covering the essential requirements of article 3.2 of the Directive<br>2014/53/EU          |
| EN 302 372 V2.1.1    | Short Range Devices (SRD); Tank Level Probing Radar (TLPR)<br>equipment operating in the frequency ranges 4,5 GHz to 7 GHz, 8,5 GHz<br>to 10,6 GHz, 24,05 GHz to 27 GHz, 57 GHz to 64 GHz, 75 GHz to 85<br>GHz; Harmonised Standard covering the essential requirements of article<br>3.2 of the Directive 2014/53/EU |
| EN 302 448 V2.1.1    | Satellite Earth Stations and Systems (SES); Harmonised Standard for tracking Earth Stations on Trains (ESTs) operating in the 14/12 GHz frequency bands covering the essential requirements of article 3.2 of the Directive 2014/53/EU  |
| EN 302 454 V2.1.1    | Meteorological Aids (Met Aids); Radiosondes to be used in the 1 668,4<br>MHz to 1 690 MHz frequency range; Harmonised Standard covering the<br>essential requirements of article 3.2 of Directive 2014/53/EU  |
| EN 302 454 V2.2.1    | Meteorological Aids (Met Aids); Radiosondes to be used in the 1 668,4<br>MHz to 1 690 MHz frequency range; Harmonised Standard for access to<br>radio spectrum  |
| EN 301 908-1 V15.1.1 | IMT cellular networks; Harmonised Standard for access to radio spectrum;<br>Part 1: Introduction and common requirements Release 15   |
| EN 302 480 V2.1.2    | Mobile Communication On Board Aircraft (MCOBA) systems; Harmonised<br>Standard covering the essential requirements of article 3.2 of Directive<br>2014/53/EU  |
| EN 302 502 V2.1.1    | Wireless Access Systems (WAS); 5,8 GHz fixed broadband data transmitting systems; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU  |
| EN 302 454-2 V1.2.1  | Meteorological Aids (Met Aids); Radiosondes to be used in the 1 668,4<br>MHz to 1 690 MHz frequency range; Part 2: Harmonised Standard<br>covering the essential requirements of article 3.2 of the Directive<br>2014/53/EU   |
| EN 302 510-2 V1.1.1  | Electromagnetic compatibility and Radio spectrum Matters (ERM); Radio<br>equipment in the frequency range 30 MHz to 37,5 MHz for Ultra Low<br>Power Active Medical Membrane Implants and Accessories; Part 2:<br>Harmonized EN covering essential requirements of article 3.2 of the RTTE<br>Directive                |
| EN 302 609 V2.2.1    | Short Range Devices (SRD); Radio equipment for Euroloop<br>communication systems; Harmonised Standard for access to radio<br>spectrum   |
| EN 300 328 V2.1.1    | Wideband transmission systems; Data transmission equipment operating<br>in the 2,4 GHz ISM band and using wide band modulation techniques;<br>Harmonised Standard covering the essential requirements of article 3.2 of<br>Directive 2014/53/EU   |
| EN 300 328 V2.2.2    | Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum  |
| EN 302 536-2 V1.1.1  | Electromagnetic compatibility and Radio spectrum Matters (ERM); Short<br>Range Devices (SRD); Radio equipment in the frequency range 315 kHz<br>to 600 kHz; Part 2: Harmonized EN covering essential requirements of<br>article 3.2 of the RTTE Directive   |

| EN 302 537 V2.1.1     | Ultra Low Power Medical Data Service (MEDS) Systems operating in the frequency range 401 MHz to 402 MHz and 405 MHz to 406 MHz; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU  |
|-----------------------|---|
| EN 302 561 V2.1.1     | Land Mobile Service; Radio equipment using constant or non-constant<br>envelope modulation operating in a channel bandwidth of 25 kHz, 50 kHz,<br>100 kHz or 150 kHz; Harmonised Standard covering the essential<br>requirements of article 3.2 of the Directive 2014/53/EU   |
| EN 302 567 V1.2.1     | Broadband Radio Access Networks (BRAN); 60 GHz Multiple-Gigabit WAS/RLAN Systems; Harmonized EN covering the essential requirements of article 3.2 of the RTTE Directive  |
| EN 302 571 V2.1.1     | Intelligent Transport Systems (ITS); Radiocommunications equipment<br>operating in the 5 855 MHz to 5 925 MHz frequency band; Harmonised<br>Standard covering the essential requirements of article 3.2 of Directive<br>2014/53/EU  |
| EN 301 908-10 V4.3.1  | IMT cellular networks; Harmonised Standard for access to radio spectrum;<br>Part 10: Base Stations (BS), Repeaters and User Equipment (UE) for IMT-<br>2000 Third-Generation cellular networks  |
| EN 302 574-1 V2.1.2   | Satellite Earth Stations and Systems (SES); Harmonised Standard for<br>Mobile Earth Stations (MES) operating in the 1 980 MHz to 2 010 MHz<br>(earth-to-space) and 2 170 MHz to 2 200 MHz (space-to-earth) frequency<br>bands covering the essential requirements of article 3.2 of the Directive<br>2014/53/EU; Part 1: Complementary Ground Component (CGC) for<br>wideband systems |
| EN 303 213-6-1 V3.1.1 | Advanced Surface Movement Guidance and Control System (A-SMGCS);<br>Part 6: Harmonised Standard for access to radio spectrum for deployed<br>surface movement radar sensors; Sub-part 1: X-band sensors using<br>pulsed signals and transmitting power up to 100 kW   |
| EN 302 574-2 V2.1.2   | Satellite Earth Stations and Systems (SES); Harmonised Standard for<br>Mobile Earth Stations (MES) operating in the 1 980 MHz to 2 010 MHz<br>(earth-to-space) and 2 170 MHz to 2 200 MHz (space-to-earth) frequency<br>bands covering the essential requirements of article 3.2 of the Directive<br>2014/53/EU; Part 2: User Equipment (UE) for wideband systems                     |
| EN 302 574-3 V2.1.1   | Satellite Earth Stations and Systems (SES); Harmonised Standard for<br>Mobile Earth Stations (MES) operating in the 1 980 MHz to 2 010 MHz<br>(earth-to-space) and 2 170 MHz to 2 200 MHz (space-to-earth) frequency<br>bands covering the essential requirements of article 3.2 of the Directive<br>2014/53/EU; Part 3: User Equipment (UE) for narrowband systems                   |
| EN 302 608 V1.1.1     | Electromagnetic compatibility and Radio spectrum Matters (ERM); Short<br>Range Devices (SRD); Radio equipment for Eurobalise railway systems;<br>Harmonized EN covering the essential requirements of article 3.2 of the<br>RTTE Directive  |
| EN 301 908-13 V13.2.1 | IMT cellular networks; Harmonised Standard for access to radio spectrum;<br>Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User<br>Equipment (UE)   |
| EN 302 609 V2.1.1     | Short Range Devices (SRD); Radio equipment for Euroloop railway systems; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU   |
| EN 300 330 V2.1.1     | Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU   |

| EN 302 617 V2.3.1     | Ground-based UHF radio transmitters, receivers and transceivers for the UHF aeronautical mobile service using amplitude modulation; Harmonised Standard for access to radio spectrum   |
|-----------------------|--|
| EN 303 364-3 V1.1.1   | Primary Surveillance Radar (PSR); Harmonised Standard for access to radio spectrum; Part 3: Air Traffic Control (ATC) PSR sensors operating in the frequency band 8 500 MHz to 10 000 MHz (X band)   |
| EN 302 617-2 V2.1.1   | Ground-based UHF radio transmitters, receivers and transceivers for the UHF aeronautical mobile service using amplitude modulation; Part 2: Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU   |
| EN 303 213-5-1 V1.1.1 | Advanced Surface Movement Guidance and Control System (A-SMGCS);<br>Part 5: Harmonised Standard for access to radio spectrum for<br>Multilateration (MLAT) equipment; Sub-part 1: Receivers and Interrogators  |
| EN 302 686 V1.1.1     | Intelligent Transport Systems (ITS); Radiocommunications equipment operating in the 63 GHz to 64 GHz frequency band; Harmonized EN covering the essential requirements of article 3.2 of the RTTE Directive  |
| EN 302 729 V2.1.1     | Short Range Devices (SRD); Level Probing Radar (LPR) equipment<br>operating in the frequency ranges 6 GHz to 8,5 GHz, 24,05 GHz to 26,5<br>GHz, 57 GHz to 64 GHz, 75 GHz to 85 GHz; Harmonised Standard<br>covering the essential requirements of article 3.2 of the Directive<br>2014/53/EU                                 |
| EN 303 098 V2.2.1     | Maritime low power personal locating devices employing AIS; Harmonised Standard for access to radio spectrum   |
| EN 301 908-14 V15.1.1 | IMT cellular networks; Harmonised Standard for access to radio spectrum;<br>Part 14: Evolved Universal Terrestrial Radio Access (E-UTRA) Base<br>Stations (BS) Release 15  |
| EN 302 752 V1.1.1     | Electromagnetic compatibility and Radio spectrum Matters (ERM); Active radar target enhancers; Harmonized EN covering the essential requirements of article 3.2 of the RTTE Directive  |
| EN 303 258 V1.1.1     | Wireless Industrial Applications (WIA); Equipment operating in the 5 725<br>MHz to 5 875 MHz frequency range with power levels ranging up to 400<br>mW; Harmonised Standard for access to radio spectrum   |
| EN 303 345-2 V1.1.1   | Broadcast Sound Receivers; Part 2: AM broadcast sound service;<br>Harmonised Standard for access to radio spectrum   |
| EN 302 858-2 V1.3.1   | Electromagnetic compatibility and Radio spectrum Matters (ERM); Road<br>Transport and Traffic Telematics (RTTT); Automotive radar equipment<br>operating in the 24,05 GHz up to 24,25 GHz or 24,50 GHz frequency<br>range; Part 2: Harmonized EN covering the essential requirements of<br>article 3.2 of the RTTE Directive |
| EN 303 345-5 V1.1.1   | Broadcast Sound Receivers; Part 5: DRM broadcast sound service;<br>Harmonised Standard for access to radio spectrum  |
| EN 301 908-15 V15.1.1 | IMT cellular networks; Harmonised Standard for access to radio spectrum;<br>Part 15: Evolved Universal Terrestrial Radio Access (E-UTRA FDD)   |
| EN 302 885 V2.1.1     | Repeaters<br>Portable Very High Frequency (VHF) radiotelephone equipment for the<br>maritime mobile service operating in the VHF bands with integrated<br>handheld class D DSC; Harmonised Standard covering the essential<br>requirements of articles 3.2 and 3.3(g) of the Directive 2014/53/EU                            |
| EN 302 885 V2.2.2     | Portable Very High Frequency (VHF) radiotelephone equipment for the maritime mobile service operating in the VHF bands with integrated handheld class H DSC; Harmonised Standard covering the essential requirements of articles 3.2 and 3.3(g) of Directive 2014/53/EU  |

| EN 302 885 V2.2.3     | Portable Very High Frequency (VHF) radiotelephone equipment for the maritime mobile service operating in the VHF bands with integrated handheld class H DSC; Harmonised Standard covering the essential requirements of articles 3.2 and 3.3(g) of Directive 2014/53/EU  |
|-----------------------|--|
| EN 300 341 V2.1.1     | Land Mobile Service; Radio equipment using an integral antenna<br>transmitting signals to initiate a specific response in the receiver;<br>Harmonised Standard covering the essential requirements of article 3.2 of<br>the Directive 2014/53/EU   |
| EN 302 961 V2.1.2     | Maritime Personal Homing Beacon intended for use on the frequency 121,5 MHz for search and rescue purposes only; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU  |
| EN 301 908-18 V15.1.1 | IMT cellular networks; Harmonised Standard for access to radio spectrum;<br>Part 18: E-UTRA, UTRA and GSM/EDGE Multi-Standard Radio (MSR)<br>Base Station (BS) Release 15  |
| EN 302 977 V2.1.1     | Satellite Earth Stations and Systems (SES); Harmonised Standard for<br>Vehicle-Mounted Earth Stations (VMES) operating in the 14/12 GHz<br>frequency bands covering the essential requirements of article 3.2 of the<br>Directive 2014/53/EU   |
| EN 303 039 V2.1.2     | Land Mobile Service; Multichannel transmitter specification for the PMR Service; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU  |
| EN 303 084 V2.1.1     | Ground Based Augmentation System (GBAS) VHF ground-air Data<br>Broadcast (VDB); Technical characteristics and methods of measurement<br>for ground-based equipment; Harmonised Standard covering the essential<br>requirements of article 3.2 of the Directive 2014/53/EU  |
| EN 303 098 V2.1.1     | Maritime low power personal locating devices employing AIS; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU   |
| EN 303 132 V1.1.1     | Maritime low power VHF personal locating beacons employing Digital Selective Calling (DSC); Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU   |
| EN 303 135 V2.1.1     | Electromagnetic compatibility and Radio spectrum Matters (ERM); Coastal Surveillance, Vessel Traffic Services and Harbour Radars (CS/VTS/HR); Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU   |
| EN 303 203 V2.1.1     | Short Range Devices (SRD); Medical Body Area Network Systems (MBANSs) operating in the 2 483,5 MHz to 2 500 MHz range; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU  |
| EN 303 204 V2.1.2     | Network Based Short Range Devices (SRD); Radio equipment to be used<br>in the 870 MHz to 876 MHz frequency range with power levels ranging up<br>to 500 mW; Harmonised Standard covering the essential requirements of<br>article 3.2 of the Directive 2014/53/EU  |
| EN 303 213-6-1 V2.1.1 | Advanced Surface Movement Guidance and Control System (A-SMGCS);<br>Part 6: Harmonised Standard covering the essential requirements of article<br>3.2 of the Directive 2014/53/EU for deployed surface movement radar<br>sensors; Sub-part 1: X-band sensors using pulsed signals and transmitting<br>power up to 100 kW |

| EN 300 390 V2.1.1   | Land Mobile Service; Radio equipment intended for the transmission of data (and speech) and using an integral antenna; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU   |
|---------------------|---|
| EN 303 276 V1.1.1   | Maritime Broadband Radiolink operating within the bands 5 852 MHz to 5 872 MHz and/or 5 880 MHz to 5 900 MHz for ships and off-shore installations engaged in coordinated activities; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU                                    |
| EN 303 520 V1.2.1   | Short Range Devices (SRD); Ultra Low Power (ULP) wireless medical capsule endoscopy devices operating in the band 430 MHz to 440 MHz; Harmonised Standard for access to radio spectrum  |
| EN 303 339 V1.1.1   | Broadband Direct Air-to-Ground Communications; Equipment operating in<br>the 1 900 MHz to 1 920 MHz and 5 855 MHz to 5 875 MHz frequency<br>bands; Fixed pattern antennas; Harmonised Standard covering the<br>essential requirements of article 3.2 of Directive 2014/53/EU  |
| EN 303 340 V1.1.2   | Digital Terrestrial TV Broadcast Receivers; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU  |
| EN 303 354 V1.1.1   | Amplifiers and active antennas for TV broadcast reception in domestic premises; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU  |
| EN 303 372-1 V1.1.1 | Satellite Earth Stations and Systems (SES); Satellite broadcast reception equipment; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 1: Outdoor unit receiving in the 10,7 GHz to 12,75 GHz frequency band   |
| EN 303 372-2 V1.1.1 | Satellite Earth Stations and Systems (SES); Satellite broadcast reception equipment; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 2: Indoor unit  |
| EN 303 402 V2.1.2   | Maritime mobile transmitters and receivers for use in the MF and HF bands; Harmonised Standard covering the essential requirements of articles 3.2 and 3.3(g) of Directive 2014/53/EU   |
| EN 303 406 V1.1.1   | Short Range Devices (SRD); Social Alarms Equipment operating in the frequency range 25 MHz to 1 000 MHz; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU   |
| EN 300 422-1 V2.1.2 | Wireless Microphones; Audio PMSE up to 3 GHz; Part 1: Class A Receivers; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU   |
| EN 303 413 V1.1.1   | Satellite Earth Stations and Systems (SES); Global Navigation Satellite<br>System (GNSS) receivers; Radio equipment operating in the 1 164 MHz to<br>1 300 MHz and 1 559 MHz to 1 610 MHz frequency bands; Harmonised<br>Standard covering the essential requirements of article 3.2 of Directive<br>2014/53/EU         |
| EN 303 520 V1.1.1   | Short Range Devices (SRD); Ultra Low Power (ULP) wireless medical capsule endoscopy devices operating in the band 430 MHz to 440 MHz; Harmonised Standard for access to radio spectrum  |
| EN 303 609 V12.5.1  | Global System for Mobile communications (GSM); GSM Repeaters;<br>Harmonised Standard covering the essential requirements of article 3.2 of<br>the Directive 2014/53/EU  |
| EN 303 978 V2.1.2   | Satellite Earth Stations and Systems (SES); Harmonised Standard for<br>Earth Stations on Mobile Platforms (ESOMP) transmitting towards<br>satellites in geostationary orbit, operating in the 27,5 GHz to 30,0 GHz<br>frequency bands covering the essential requirements of article 3.2 of the<br>Directive 2014/53/EU |

| EN 303 979 V2.1.2     | Satellite Earth Stations and Systems (SES); Harmonised Standard for<br>Earth Stations on Mobile Platforms (ESOMP) transmitting towards<br>satellites in non-geostationary orbit, operating in the 27,5 GHz to 29,1 GHz<br>and 29,5 GHz to 30,0 GHz frequency bands covering the essential<br>requirements of article 3.2 of the Directive 2014/53/EU |
|-----------------------|--|
| EN 305 550-2 V1.2.1   | Electromagnetic compatibility and Radio spectrum Matters (ERM); Short<br>Range Devices (SRD); Radio equipment to be used in the 40 GHz to 246<br>GHz frequency range; Part 2: Harmonized EN covering the essential<br>requirements of article 3.2 of the RTTE Directive  |
| EN 300 422-2 V2.1.1   | Wireless Microphones; Audio PMSE up to 3 GHz; Part 2: Class B<br>Receivers; Harmonised Standard covering the essential requirements of<br>article 3.2 of Directive 2014/53/EU  |
| EN 302 217-2 V3.3.1   | Fixed Radio Systems; Characteristics and requirements for point-to-point equipment and antennas; Part 2: Digital systems operating in frequency bands from 1 GHz to 86 GHz; Harmonised Standard for access to radio spectrum   |
| EN 300 422-3 V2.1.1   | Wireless Microphones; Audio PMSE up to 3 GHz; Part 3: Class C<br>Receivers; Harmonised Standard covering the essential requirements of<br>article 3.2 of Directive 2014/53/EU  |
| EN 302 296 V2.2.1     | Digital Terrestrial TV Transmitters; Harmonised Standard for access to radio spectrum  |
| EN 300 086 V2.1.2     | Land Mobile Service; Radio equipment with an internal or external RF connector intended primarily for analogue speech; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU  |
| EN 300 422-4 V2.1.1   | Wireless Microphones; Audio PMSE up to 3 GHz; Part 4: Assistive<br>Listening Devices including personal sound amplifiers and inductive<br>systems up to 3 GHz; Harmonised Standard covering the essential<br>requirements of article 3.2 of Directive 2014/53/EU   |
| EN 302 480 V2.2.1     | Mobile Communication On Board Aircraft (MCOBA) systems; Harmonised Standard for access to radio spectrum   |
| EN 300 433 V2.1.1     | Citizens' Band (CB) radio equipment; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU  |
| EN 302 567 V2.2.1     | Multiple-Gigabit/s radio equipment operating in the 60 GHz band;<br>Harmonised Standard for access to radio spectrum   |
| EN 300 440 V2.1.1     | Short Range Devices (SRD); Radio equipment to be used in the 1 GHz to 40 GHz frequency range; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU   |
| EN 300 440-2 V1.4.1   | Electromagnetic compatibility and Radio spectrum Matters (ERM); Short range devices; Radio equipment to be used in the 1 GHz to 40 GHz frequency range; Part 2: Harmonized EN covering the essential requirements of article 3.2 of the RTTE Directive   |
| EN 300 454-2 V1.1.1   | Electromagnetic compatibility and Radio spectrum Matters (ERM); Wide band audio links; Part 2: Harmonized EN under article 3.2 of the RTTE Directive   |
| EN 303 213-5-2 V1.1.1 | Advanced Surface Movement Guidance and Control System (A-SMGCS);<br>Part 5: Harmonised Standard for access to radio spectrum for<br>Multilateration (MLAT) equipment; Sub-part 2: Reference and Vehicle<br>Transmitters  |

| EN 303 204 V3.1.1     | Fixed Short Range Devices (SRD) in data networks; Radio equipment to be used in the 870 MHz to 876 MHz frequency range with power levels ranging up to 500 mW e.r.p.; Harmonised Standard for access to the radio spectrum   |
|-----------------------|--|
| EN 303 276 V1.2.1     | Maritime Broadband Radiolink operating within the bands 5 852 MHz to 5 872 MHz and/or 5 880 MHz to 5 900 MHz for ships and off-shore installations engaged in coordinated activities; Harmonised Standard for access to radio spectrum   |
| EN 300 487 V2.1.2     | Satellite Earth Stations and Systems (SES); Harmonised Standard for<br>Receive-Only Mobile Earth Stations (ROMES) providing data<br>communications operating in the 1,5 GHz frequency band; Radio<br>Frequency (RF) specifications covering the essential requirements of<br>article 3.2 of the Directive 2014/53/EU |
| EN 303 345-2 V1.2.1   | Broadcast Sound Receivers; Part 3: FM broadcast sound service;<br>Harmonised Standard for access to radio spectrum   |
| EN 303 345-3 V1.1.1   | Broadcast Sound Receivers; Part 3: FM broadcast sound service;<br>Harmonised Standard for access to radio spectrum   |
| EN 303 345-4 V1.1.1   | Broadcast Sound Receivers; Part 4: DAB broadcast sound service;<br>Harmonised Standard for access to radio spectrum  |
| EN 303 345-5 V1.2.1   | Broadcast Sound Receivers; Part 5: DRM broadcast sound service;<br>Harmonised Standard for access to radio spectrum  |
| EN 303 347-1 V2.1.1   | Meteorological Radars; Harmonised Standard for access to radio spectrum; Part 1: Meteorological Radar Sensor operating in the frequency band 2 700 MHz to 2 900 MHz (S band)   |
| EN 303 347-2 V2.1.1   | Meteorological Radars; Harmonised Standard for access to radio spectrum; Part 2: Meteorological Radar Sensor operating in the frequency band 5 250 MHz to 5 850 MHz (C band)   |
| EN 303 347-3 V2.1.1   | Meteorological Radars; Harmonised Standard for access to radio spectrum; Part 3: Meteorological Radar Sensor operating in the frequency band 9 300 MHz to 9 500 MHz (X band)   |
| EN 303 348 V1.2.1     | Audio frequency induction loop drivers up to 45 amperes in the frequency range 10 Hz to 9 kHz; Harmonised Standard for access to radio spectrum  |
| EN 303 364-2 V1.1.1   | Primary Surveillance Radar (PSR); Harmonised Standard for access to radio spectrum; Part 2: Air Traffic Control (ATC) PSR sensors operating in the frequency band 2 700 MHz to 3 100 MHz (S band)  |
| EN 303 372-1 V1.2.1   | Satellite Earth Stations and Systems (SES); Satellite broadcast reception equipment; Part 1: Outdoor unit receiving in the 10,7 GHz to 12,75 GHz frequency band; Harmonised Standard for access to radio spectrum  |
| EN 303 372-2 V1.2.1   | Satellite Earth Stations and Systems (SES); Satellite broadcast reception equipment; Part 2: Indoor unit; Harmonised Standard for access to radio spectrum   |
| EN 303 413 V1.2.1     | Satellite Earth Stations and Systems (SES); Global Navigation Satellite<br>System (GNSS) receivers; Radio equipment operating in the 1 164 MHz to<br>1 300 MHz and 1 559 MHz to 1 610 MHz frequency bands; Harmonised<br>Standard for access to radio spectrum   |
| EN 300 674-2-2 V2.2.1 | Transport and Traffic Telematics (TTT); Dedicated Short Range<br>Communication (DSRC) transmission equipment (500 kbit/s / 250 kbit/s)<br>operating in the 5 795 MHz to 5 815 MHz frequency band; Part 2:<br>Harmonised Standard for access to radio spectrum; Sub-part 2: On-Board<br>Units (OBU)                   |

| EN 303 981 V1.2.1     | Satellite Earth Stations and Systems (SES); Fixed and in-motion Wide<br>Band Earth Stations communicating with non-geostationary satellite<br>systems (WBES) in the 11 GHz to 14 GHz frequency bands; Harmonised<br>Standard for access to radio spectrum  |
|-----------------------|--|
| EN 303 758 V1.1.1     | TETRA radio equipment using non-constant envelope modulation<br>operating in a channel bandwidth of 25 kHz, 50 kHz, 100 kHz or 150 kHz;<br>Harmonised Standard for access to radio spectrum  |
| EN 303 980 V1.2.1     | Satellite Earth Stations and Systems (SES); Fixed and in-motion Earth<br>Stations communicating with non-geostationary satellite systems (NEST)<br>in the 11 GHz to 14 GHz frequency bands; Harmonised Standard for<br>access to radio spectrum  |
| EN 300 113 V2.2.1     | Land Mobile Service; Radio equipment intended for the transmission of data (and/or speech) using constant or non-constant envelope modulation and having an antenna connector; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU  |
| EN 300 674-2-2 V2.1.1 | Transport and Traffic Telematics (TTT); Dedicated Short Range<br>Communication (DSRC) transmission equipment (500 kbit/s / 250 kbit/s)<br>operating in the 5 795 MHz to 5 815 MHz frequency band; Part 2:<br>Harmonised Standard covering the essential requirements of article 3.2 of<br>Directive 2014/53/EU; Sub-part 2: On-Board Units (OBU) |
| EN 300 676-2 V2.1.1   | Ground-based VHF hand-held, mobile and fixed radio transmitters, receivers and transceivers for the VHF aeronautical mobile service using amplitude modulation; Part 2: Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU   |
| EN 300 698 V2.1.1     | Radio telephone transmitters and receivers for the maritime mobile service operating in the VHF bands used on inland waterways; Harmonised Standard covering the essential requirements of articles 3.2 and 3.3(g) of the Directive 2014/53/EU   |
| EN 300 698 V2.2.1     | Radio telephone transmitters and receivers for the maritime mobile service operating in the VHF bands used on inland waterways; Harmonised Standard covering the essential requirements of articles 3.2 and 3.3(g) of Directive 2014/53/EU   |
| EN 300 698 V2.3.1     | Radio telephone transmitters and receivers for the maritime mobile service operating in the VHF bands used on inland waterways; Harmonised Standard for access to radio spectrum and for features for emergency services   |
| EN 300 718-2 V1.1.1   | Electromagnetic compatibility and Radio spectrum Matters (ERM);<br>Avalanche Beacons; Transmitter-receiver systems; Part 2: Harmonized<br>EN covering essential requirements of article 3.2 of the RTTE Directive  |
| EN 300 718-2 V2.1.1   | Avalanche Beacons operating at 457 kHz; Transmitter-receiver systems;<br>Part 2: Harmonised Standard for features for emergency services   |
| EN 300 718-3 V1.2.1   | Electromagnetic compatibility and Radio spectrum Matters (ERM);<br>Avalanche Beacons; Transmitter-receiver systems; Part 3: Harmonized<br>EN covering essential requirements of article 3.3e of the RTTE Directive   |
| EN 301 025 V2.1.1     | VHF radiotelephone equipment for general communications and associated equipment for Class "D" Digital Selective Calling (DSC); Harmonised Standard covering the essential requirements of articles 3.2 and 3.3(g) of the Directive 2014/53/EU   |
| EN 300 718-1 V2.2.1   | Avalanche Beacons operating at 457 kHz; Transmitter-receiver systems;<br>Part 1: Harmonised Standard for access to radio spectrum  |
| EN 300 720 V2.1.1     | Ultra-High Frequency (UHF) on-board vessels communications systems<br>and equipment; Harmonised Standard covering the essential requirements<br>of article 3.2 of the Directive 2014/53/EU   |

| EN 301 025 V2.2.1   | VHF radiotelephone equipment for general communications and associated equipment for Class "D" Digital Selective Calling (DSC); Harmonised Standard covering the essential requirements of articles 3.2 and 3.3(g) of Directive 2014/53/EU  |
|---------------------|---|
| EN 301 025 V2.3.1   | VHF radiotelephone equipment for general communications and<br>associated equipment for Class "D" Digital Selective Calling (DSC);<br>Harmonised Standard for access to radio spectrum and for features for<br>emergency services   |
| EN 300 219 V2.1.1   | Land Mobile Service; Radio equipment transmitting signals to initiate a specific response in the receiver; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU   |
| EN 301 091-2 V1.3.2 | Electromagnetic compatibility and Radio spectrum Matters (ERM); Short<br>Range Devices; Road Transport and Traffic Telematics (RTTT); Radar<br>equipment operating in the 76 GHz to 77 GHz range; Part 2: Harmonized<br>EN covering essential requirements of article 3.2 of the RTTE Directive   |
| EN 301 166 V2.1.1   | Land Mobile Service; Radio equipment for analogue and/or digital communication (speech and/or data) and operating on narrow band channels and having an antenna connector; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU   |
| EN 301 178 V2.2.2   | Portable Very High Frequency (VHF) radiotelephone equipment for the maritime mobile service operating in the VHF bands (for non-GMDSS applications only); Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU  |
| EN 301 357 V2.1.1   | Cordless audio devices in the range 25 MHz to 2 000 MHz; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU   |
| EN 301 357-2 V1.4.1 | Electromagnetic compatibility and Radio spectrum Matters (ERM);<br>Cordless audio devices in the range 25 MHz to 2 000 MHz; Part 2:<br>Harmonized EN covering essential requirements of article 3.2 of the RTTE<br>Directive  |
| EN 301 360 V2.1.1   | Satellite Earth Stations and Systems (SES); Harmonised Standard for<br>Satellite Interactive Terminals (SIT) and Satellite User Terminals (SUT)<br>transmitting towards satellites in geostationary orbit, operating in the 27,5<br>GHz to 29,5 GHz frequency bands covering the essential requirements of<br>article 3.2 of the Directive 2014/53/EU                 |
| EN 301 406 V2.2.2   | Digital Enhanced Cordless Telecommunications (DECT); Harmonised<br>Standard covering the essential requirements of article 3.2 of the Directive<br>2014/53/EU   |
| EN 301 426 V2.1.2   | Satellite Earth Stations and Systems (SES); Harmonised Standard for Low data rate Land Mobile satellite Earth Stations (LMES) and Maritime Mobile satellite Earth Stations (MMES) not intended for distress and safety communications operating in the 1,5 GHz/1,6 GHz frequency bands covering the essential requirements of article 3.2 of the Directive 2014/53/EU |
| EN 300 220-2 V3.1.1 | Short Range Devices (SRD) operating in the frequency range 25 MHz to 1 000 MHz; Part 2: Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU for non specific radio equipment   |
| EN 301 427 V2.1.1   | Satellite Earth Stations and Systems (SES); Harmonised Standard for low data rate Mobile satellite Earth Stations (MES) except aeronautical mobile satellite earth stations, operating in the 11/12/14 GHz frequency bands covering the essential requirements of article 3.2 of the Directive 2014/53/EU   |

| EN 301 428 V2.1.2    | Satellite Earth Stations and Systems (SES); Harmonised Standard for<br>Very Small Aperture Terminal (VSAT); Transmit-only, transmit/receive or<br>receive-only satellite earth stations operating in the 11/12/14 GHz<br>frequency bands covering the essential requirements of article 3.2 of<br>Directive 2014/53/EU  |
|----------------------|---|
| EN 301 430 V2.1.1    | Satellite Earth Stations and Systems (SES); Harmonised Standard for<br>Satellite News Gathering Transportable Earth Stations (SNG TES)<br>operating in the 11 GHz to 12 GHz/13 GHz to 14 GHz frequency bands<br>covering the essential requirements of article 3.2 of the Directive<br>2014/53/EU   |
| EN 301 441 V2.1.1    | Satellite Earth Stations and Systems (SES); Harmonised Standard for<br>Mobile Earth Stations (MES), including handheld earth stations, for<br>Satellite Personal Communications Networks (S-PCN) operating in the 1,6<br>GHz/2,4 GHz frequency band under the Mobile Satellite Service (MSS)<br>covering the essential requirements of article 3.2 of the Directive<br>2014/53/EU   |
| EN 301 442 V2.1.1    | Satellite Earth Stations and Systems (SES); Harmonised Standard for<br>NGSO Mobile Earth Stations (MES) including handheld earth stations, for<br>Satellite Personal Communications Networks (S-PCN) operating in the 1<br>980 MHz to 2 010 MHz (earth-to-space) and 2 170 MHz to 2 200 MHz<br>(space-to-earth) frequency bands under the Mobile Satellite Service (MSS)<br>covering the essential requirements of article 3.2 of the Directive<br>2014/53/EU |
| EN 301 443 V2.1.1    | Satellite Earth Stations and Systems (SES); Harmonised Standard for<br>Very Small Aperture Terminal (VSAT); Transmit-only, transmit-and-<br>receive, receive-only satellite earth stations operating in the 4 GHz and 6<br>GHz frequency bands covering the essential requirements of article 3.2 of<br>the Directive 2014/53/EU  |
| EN 301 444 V2.1.2    | Satellite Earth Stations and Systems (SES); Harmonised Standard for<br>Land Mobile Earth Stations (LMES) providing voice and/or data<br>communications, operating in the 1,5 GHz and 1,6 GHz frequency bands<br>covering the essential requirements of article 3.2 of the Directive<br>2014/53/EU   |
| EN 301 447 V2.1.1    | Satellite Earth Stations and Systems (SES); Harmonised Standard for satellite Earth Stations on board Vessels (ESVs) operating in the 4/6 GHz frequency bands allocated to the Fixed Satellite Service (FSS) covering the essential requirements of article 3.2 of the Directive 2014/53/EU   |
| EN 301 459 V2.1.1    | Satellite Earth Stations and Systems (SES); Harmonised Standard for<br>Satellite Interactive Terminals (SIT) and Satellite User Terminals (SUT)<br>transmitting towards satellites in geostationary orbit, operating in the 29,5<br>GHz to 30,0 GHz frequency bands covering the essential requirements of<br>article 3.2 of the Directive 2014/53/EU   |
| EN 301 473 V2.1.2    | Satellite Earth Stations and Systems (SES); Harmonised Standard for<br>Aircraft Earth Stations (AES) providing Aeronautical Mobile Satellite<br>Service (AMSS)/Mobile Satellite Service (MSS) and/or the Aeronautical<br>Mobile Satellite on Route Service (AMS(R)S)/Mobile Satellite Service<br>(MSS), operating in the frequency band below 3 GHz covering the<br>essential requirements of article 3.2 of the Directive 2014/53/EU                         |
| EN 301 502 V12.5.2   | Global System for Mobile communications (GSM); Base Station (BS) equipment; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU  |
| EN 301 511 V9.0.2    | Global System for Mobile communications (GSM); Harmonized EN for<br>mobile stations in the GSM 900 and GSM 1800 bands covering essential<br>requirements under article 3.2 of the RTTE directive (1999/5/EC)  |
| EN 301 908-1 V13.1.1 | IMT cellular networks; Harmonised Standard for access to radio spectrum;<br>Part 1: Introduction and common requirements  |

| EN 301 511 V12.5.1    | Global System for Mobile communications (GSM); Mobile Stations (MS) equipment; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU   |
|-----------------------|---|
| EN 301 444 V2.2.1     | Satellite Earth Stations and Systems (SES); Land Mobile Earth Stations (LMES) and Maritime Mobile Earth Stations (MMES) providing voice and/or data communications, operating in the 1,5 GHz and 1,6 GHz frequency bands; Harmonised Standard for access to radio spectrum  |
| EN 301 559 V2.1.1     | Short Range Devices (SRD); Low Power Active Medical Implants (LP-AMI) and associated Peripherals (LP-AMI-P) operating in the frequency range 2 483,5 MHz to 2 500 MHz; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU   |
| EN 301 598 V1.1.1     | White Space Devices (WSD); Wireless Access Systems operating in the 470 MHz to 790 MHz TV broadcast band; Harmonized EN covering the essential requirements of article 3.2 of the RTTE Directive  |
| EN 301 908-2 V13.1.1  | IMT cellular networks; Harmonised Standard for access to radio spectrum;<br>Part 2: CDMA Direct Spread (UTRA FDD) User Equipment (UE)   |
| EN 301 908-3 V13.1.1  | IMT cellular networks; Harmonised Standard for access to radio spectrum;<br>Part 3: CDMA Direct Spread (UTRA FDD) Base Stations (BS)  |
| EN 301 681 V2.1.2     | Satellite Earth Stations and Systems (SES); Harmonised Standard for<br>Mobile Earth Stations (MES) of Geostationary mobile satellite systems,<br>including handheld earth stations, for Satellite Personal Communications<br>Networks (S-PCN) under the Mobile Satellite Service (MSS), operating in<br>the 1,5 GHz and 1,6 GHz frequency bands covering the essential<br>requirements of article 3.2 of the Directive 2014/53/EU |
| EN 300 220-3-1 V2.1.1 | Short Range Devices (SRD) operating in the frequency range 25 MHz to 1 000 MHz; Part 3-1: Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU; Low duty cycle high reliability equipment, social alarms equipment operating on designated frequencies (869,200 MHz to 869,250 MHz)   |
| EN 301 721 V2.1.1     | Satellite Earth Stations and Systems (SES); Harmonised Standard for<br>Mobile Earth Stations (MES) providing Low Bit Rate Data Communications<br>(LBRDC) using Low Earth Orbiting (LEO) satellites operating below 1 GHz<br>frequency band covering the essential requirements of article 3.2 of the<br>Directive 2014/53/EU  |
| EN 301 783 V2.1.1     | Commercially available amateur radio equipment; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU  |
| EN 301 839 V2.1.1     | Ultra Low Power Active Medical Implants (ULP-AMI) and associated<br>Peripherals (ULP-AMI-P) operating in the frequency range 402 MHz to 405<br>MHz; Harmonised Standard covering the essential requirements of article<br>3.2 of the Directive 2014/53/EU   |
| EN 301 841-3 V2.1.1   | VHF air-ground Digital Link (VDL) Mode 2; Technical characteristics and methods of measurement for ground-based equipment; Part 3: Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU   |
| EN 301 842-5 V2.1.1   | VHF air-ground Digital Link (VDL) Mode 4 radio equipment; Technical characteristics and methods of measurement for ground-based equipment; Part 5: Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU   |
| EN 301 893 V1.8.1     | Broadband Radio Access Networks (BRAN); 5 GHz high performance<br>RLAN; Harmonized EN covering the essential requirements of article 3.2<br>of the RTTE Directive   |
| EN 301 908-13 V13.1.1 | IMT cellular networks; Harmonised Standard for access to radio spectrum;<br>Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User<br>Equipment (UE)   |

| EN 301 908-14 V13.1.1 | IMT cellular networks; Harmonised Standard for access to radio spectrum;<br>Part 14: Evolved Universal Terrestrial Radio Access (E-UTRA) Base<br>Stations (BS)   |
|-----------------------|--|
| EN 301 893 V2.1.1     | 5 GHz RLAN; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU   |
| EN 301 908-1 V11.1.1  | IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 1: Introduction and common requirements  |
| EN 301 908-18 V13.1.1 | IMT cellular networks; Harmonised Standard for access to radio spectrum;<br>Part 18: E-UTRA, UTRA and GSM/EDGE Multi-Standard Radio (MSR)<br>Base Station (BS)   |
| EN 301 908-2 V11.1.1  | IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 2: CDMA Direct Spread (UTRA FDD) User Equipment (UE)   |
| EN 301 908-2 V11.1.2  | IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU; Part 2: CDMA Direct Spread (UTRA FDD) User Equipment (UE)   |
| EN 301 908-3 V11.1.3  | IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU; Part 3: CDMA Direct Spread (UTRA FDD) Base Stations (BS)  |
| EN 301 489-12 V3.2.1  | Electro Magnetic Compatibility (EMC) standard for radio equipment and<br>services; Part 12: Specific conditions for Very Small Aperture Terminal,<br>Satellite Interactive Earth Stations operated in the frequency ranges<br>between 4 GHz and 30 GHz in the Fixed Satellite Service (FSS);<br>Harmonised Standard for Electro Magnetic Compatibility |
| EN 301 489-20 V2.2.1  | Electro Magnetic Compatibility (EMC) standard for radio equipment and services; Part 20: Specific conditions for Mobile Earth Stations (MES) used in the Mobile Satellite Services (MSS); Harmonised Standard for Electro Magnetic Compatibility   |
| EN 300 220-3-2 V1.1.1 | Short Range Devices (SRD) operating in the frequency range 25 MHz to 1 000 MHz; Part 3-2: Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU; Wireless alarms operating in designated LDC/HR frequency bands 868,60 MHz to 868,70 MHz, 869,25 MHz to 869,40 MHz, 869,65 MHz to 869,70 MHz                  |
| EN 301 908-10 V4.2.2  | Electromagnetic compatibility and Radio spectrum Matters (ERM); Base<br>Stations (BS), Repeaters and User Equipment (UE) for IMT-2000 Third-<br>Generation cellular networks; Part 10: Harmonised Standard for IMT-2000,<br>FDMA/TDMA (DECT) covering the essential requirements of article 3.2 of<br>the Directive 2014/53/EU                         |
| EN 301 908-11 V11.1.2 | IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 11: CDMA Direct Spread (UTRA FDD) Repeaters  |
| EN 301 908-12 V7.1.1  | IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 12: CDMA Multi-Carrier (cdma2000) Repeaters  |
| EN 301 908-13 V11.1.1 | IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)  |
| EN 301 908-13 V11.1.2 | IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU; Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)  |
| EN 301 908-14 V11.1.2 | IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU; Part 14: Evolved Universal Terrestrial Radio Access (E-UTRA) Base Stations (BS)   |

| EN 301 908-15 V11.1.2 | IMT cellular networks; Harmonised Standard covering the essential  |
|-----------------------|--|
|                       | requirements of article 3.2 of Directive 2014/53/EU; Part 15: Evolved Universal Terrestrial Radio Access (E-UTRA FDD) Repeaters  |
| EN 301 908-18 V11.1.2 | IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU; Part 18: E-UTRA, UTRA and GSM/EDGE Multi-Standard Radio (MSR) Base Station (BS)   |
| EN 301 908-19 V6.3.1  | IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 19: OFDMA TDD WMAN (Mobile WiMAXTM) TDD User Equipment (UE)  |
| EN 301 908-20 V6.3.1  | IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 20: OFDMA TDD WMAN (Mobile WiMAXTM) TDD Base Stations (BS)   |
| EN 300 220-4 V1.1.1   | Short Range Devices (SRD) operating in the frequency range 25 MHz to 1 000 MHz; Part 4: Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU; Metering devices operating in designated band 169,400 MHz to 169,475 MHz |
| EN 301 908-21 V6.1.1  | IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 21: OFDMA TDD WMAN (Mobile WiMAXTM) FDD User Equipment (UE)  |
| EN 301 908-22 V6.1.1  | IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 22: OFDMA TDD WMAN (Mobile WiMAXTM) FDD Base Stations (BS)   |
| EN 301 929 V2.1.1     | VHF transmitters and receivers as Coast Stations for GMDSS and other applications in the maritime mobile service; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU   |
| EN 302 017 V2.1.1     | Transmitting equipment for the Amplitude Modulated (AM) sound broadcasting service; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU   |
| EN 302 018 V2.1.1     | Transmitting equipment for the Frequency Modulated (FM) sound<br>broadcasting service; Harmonised Standard covering the essential<br>requirements of article 3.2 of Directive 2014/53/EU   |
| EN 302 066 V2.2.1     | Short Range Devices (SRD); Ground- and Wall- Probing Radio<br>determination (GPR/WPR) devices; Harmonised Standard for access to<br>radio spectrum   |
| EN 302 018-2 V1.2.1   | Electromagnetic compatibility and Radio spectrum Matters (ERM);<br>Transmitting equipment for the Frequency Modulated (FM) sound<br>broadcasting service; Part 2: Harmonized EN under article 3.2 of the<br>RTTE Directive                                       |
| EN 302 054 V2.1.1     | Meteorological Aids (Met Aids); Radiosondes to be used in the 400,15<br>MHz to 406 MHz frequency range with power levels ranging up to 200<br>mW; Harmonised Standard covering the essential requirements of article<br>3.2 of Directive 2014/53/EU              |
| EN 302 054 V2.2.1     | Meteorological Aids (Met Aids); Radiosondes to be used in the 400,15<br>MHz to 406 MHz frequency range with power levels ranging up to 200<br>mW; Harmonised Standard for access to radio spectrum   |
| EN 302 064-2 V1.1.1   | Electromagnetic compatibility and Radio spectrum Matters (ERM);<br>Wireless Video Links (WVL) operating in the 1,3 GHz to 50 GHz frequency<br>band; Part 2: Harmonized EN under article 3.2 of the RTTE Directive  |
| EN 301 489-52 V1.2.1  | Electro Magnetic Compatibility (EMC) standard for radio equipment and<br>services; Part 52: Specific conditions for Cellular Communication User<br>Equipment (UE) radio and ancillary equipment; Harmonised Standard for<br>Electro Magnetic Compatibility       |

| EN 302 054-2 V1.2.1 | Meteorological Aids (Met Aids); Radiosondes to be used in the 400,15 MHz to 406 MHz frequency range with power levels ranging up to 200 mW; Part 2: Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU |
|---------------------|--|
| EN 302 065-1 V2.1.1 | Short Range Devices (SRD) using Ultra Wide Band technology (UWB);<br>Harmonised Standard covering the essential requirements of article 3.2 of<br>the Directive 2014/53/EU; Part 1: Requirements for Generic UWB<br>applications                       |

#### Harmonised EMC standards drafted by CENELEC include:

| EN 50360:2017 | Product standard to demonstrate the compliance of wireless<br>communication devices, with the basic restrictions and exposure limit<br>values related to human exposure to electromagnetic fields in the<br>frequency range from 300 MHz to 6 GHz: devices used next to the ear   |
|---------------|---|
| EN 50385:2017 | Product standard to demonstrate the compliance of base station<br>equipment with radiofrequency electromagnetic field exposure limits (110<br>MHz - 100 GHz), when placed on the market   |
| EN 50401:2017 | Product standard to demonstrate the compliance of base station<br>equipment with radiofrequency electromagnetic field exposure limits (110<br>MHz - 100 GHz), when put into service   |
| EN 50566:2017 | Product standard to demonstrate the compliance of wireless<br>communication devices with the basic restrictions and exposure limit<br>values related to human exposure to electromagnetic fields in the<br>frequency range from 30 MHz to 6 GHz: hand-held and body mounted<br>devices in close proximity to the human body |
| EN 55035:2017 | Electromagnetic compatibility of multimedia equipment - Immunity requirements   |

#### Reference

https://ec.europa.eu/docsroom/documents/51936

### United States Department of Defense (DoD)

The United States Department of Defense issued several military standards to integrate electromagnetic compatibility into the research and development stage for defense communications technology.

MIL-STD 461 is addressing EMC for subsystem and components. Currently in revision G, it covers Conducted and Radiated Emissions and Susceptibility.

### **Military standards on EMC**

MIL-STD 461 revision G comprises the following requirements.

- CE101 Conducted Emissions, Audio Frequency Currents, Power Leads
- CE102 Conducted Emissions, Radio Frequency Potentials, Power Leads
- CE106 Conducted Emissions, Antenna Port
- CS101 Conducted Susceptibility, Power Leads
- CS103 Conducted Susceptibility, Antenna Port, Intermodulation
- CS104 Conducted Susceptibility, Antenna Port, Rejection of Undesired Signals
- CS105 Conducted Susceptibility, Antenna Port, Cross-Modulation
- CS109 Conducted Susceptibility, Structure Current
- CS114 Conducted Susceptibility, Bulk Cable Injection
- CS115 Conducted Susceptibility, Bulk Cable Injection, Impulse Excitation
- CS116 Conducted Susceptibility, Damped Sinusoidal Transients, Cables and Power Leads
- CS117 Conducted Susceptibility, Lightning Induced Transients, Cables and Power Leads
- CS118 Conducted Susceptibility, Personnel Borne Electrostatic Discharge
- RE101 Radiated Emissions, Magnetic Field
- RE102 Radiated Emissions, Electric Field
- RE103 Radiated Emissions, Antenna Spurious and Harmonic Outputs
- RS101 Radiated Susceptibility, Magnetic Field
- RS103 Radiated Susceptibility, Electric Field
- RS105 Radiated Susceptibility, Transient Electromagnetic Field

MIL-STD 464 is addressing EMC for systems. Currently in revision C, it covers intra-system EMC, external RF EME, High-power microwave (HPM) sources, Lightning, EMP, subsystems and equipment EMI, electrostatic charge control, electromagnetic radiation hazards such as HERP, HERF and HERO, life cycle E3 hardness, Electrical bonding, External grounds, TEMPEST, System radiated emissions and EM spectrum supportability.

MIL-STD 469 - This standard establishes the engineering interface requirements to control the electromagnetic emission and susceptibility characteristics of all new military radar equipment and systems operating between 100 megahertz (MHz) and 100 gigahertz (GHz).

## Radio Technical Committee for Aeronautics (RTCA)

The Radio Technical Committee for Aeronautics is an independent standards development organization. RTCA works closely with the Federal Aviation Administration (FAA), industry experts from the US and around the world to develop comprehensive, industry-vetted, and endorsed recommendations on technical performance standards and the operating environment for utilizing standards. These standards can be used for showing compliance against FAA and other aviation regulatory authorities regulations.

### Airborne standards on EMC

RTCA DO-160 is addressing environmental conditions and test procedures for airborne equipment. Sections on EMC phenomena are as follows.

Section 15.0 Magnetic Effect Section 16.0 Power Input Section 17.0 Voltage Spike Section 18.0 Audio Frequency Conducted Susceptibility - Power Inputs Section 19.0 Induced Signal Susceptibility Section 20.0 Radio Frequency Susceptibility (Radiated and Conducted) Section 21.0 Emission of Radio Frequency Energy Section 22.0 Lightning Induced Transient Susceptibility Section 23.0 Lightning Direct Effects Section 25.0 Electrostatic Discharge

## Federal Communications Commission (FCC)

FCC regulates interstate and international communications by radio, television, wire, satellite, and cable in all 50 states, the District of Columbia and U.S. territories.

The FCC regulations are detailed in CFR 47 (Code of Federal Regulations). Its main definitions and authorization procedures are given in Part 2 and requirements on EMC are in Part 15 for radio frequency devices and Part 18 for ISM equipment.

### CFR 47 Part 2 - FREQUENCY ALLOCATIONS AND RADIO TREATY MATTERS; GENERAL RULES AND REGULATIONS

- Subpart A Terminology
- Subpart B Allocation, Assignment, and Use of Radio Frequencies
- Subpart C Emissions
- Subpart D Call Signs and Other Forms of Identifying Radio Transmissions
- Subpart E Distress, Disaster, and Emergency Communications
- Subpart H Prohibition against Eavesdropping
- Subpart I Marketing of Radio-frequency Devices
- Subpart J Equipment Authorization Procedures
- Subpart K Importation of Devices Capable of Causing Harmful Interference
- Subpart M Advance Approval of Subscription TV Transmission Systems
- Subpart F-G, L, N Reserved

#### **CFR 47 Part 15 - RADIO FREQUENCY DEVICES**

- Subpart A General
- Subpart B Unintentional Radiators
- Subpart C Intentional Radiators
- Subpart D Unlicensed Personal Communications Service Devices
- Subpart E Unlicensed National Information Infrastructure Devices
- Subpart F Ultra-Wideband Operation
- Subpart G Access Broadband Over Power Line (Access BPL)
- Subpart H White Space Devices

#### CFR 47 Part 18 - INDUSTRIAL, SCIENTIFIC, AND MEDICAL EQUIPMENT

- Subpart A General Information
- Subpart B Applications and Authorizations
- Subpart C Technical Standards

## American National Standards Institute (ANSI)

For EMC measurement methods and belonging measurement equipment are defined in bulletins and reports of the FCC's Office of Engineering and Technology (OET) and when accepted are published by the American National Standards Institute or in the past also by the Electronic Industries Alliance (EIA). EMC is in responsibility of Committee ANSI C63. It is focused on many aspects of emission and immunity measurements, instrumentation and resources for test lab competency and quality control. ANSI C63 standard series includes:

| C63.2-2016              | EM Interference and Field Strength Measuring Instrumentation 9 kHz to 40 GHz            |
|-------------------------|---|
| C63.4-2014              | Emission measurements   |
| C63.4a-2017             | Limited Amendment to modify Annex D and correct certain equations                       |
| C63.5-2017              | Antenna Calibration   |
| C63.5-2017 Corr.1-2018  | Antenna Calibration – Corrigendum 1   |
| C63.6-1996              | Computation Errors in OATS Measurements – Guide administratively withdrawn              |
| C63.7-2015              | Guide for Construction of Test Sites for Performing Radiated Emission<br>Measurements   |
| C63.8-draft             | Calibration of EMC Test Equipment – Guide never published                               |
| C63.9-2014              | Laboratory immunity testing of office equipment exposed to RF sources                   |
| C63.10-2020             | Procedures for compliance testing of unlicensed wireless devices                        |
| C63.10-2020 Corr.1-2023 | Procedures for compliance testing of unlicensed wireless devices                        |
| C63.11-draft            | Inter-lab Comparison of EMC Testing   |
| C63.12-2015             | EMC Limit Setting   |
| C63.13-1991             | EMI Power Line Filters – Administratively withdrawn                                     |
| C63.14-2014             | Definitions   |
| C63.15-2017             | Immunity Measurement & Instrumentation  |
| C63.16-2016             | ESD Test Methodology  |
| C63.17-2020             | Unlicensed Personal Communications Service (PCS) Devices                                |
| C63.18-2014             | On-Site Medical Radiated RF Immunity testing  |
| C63.19-2019             | EMC for Hearing Aids  |
| C63.22-2012             | Guide for Automated Electromagnetic Interference Measurements                           |
| C63.23-2012             | Measurement Uncertainty   |
| C63.24-2021             | In-Situ RF Immunity Evaluation of Electronic Devices and Systems                        |
| C63.25.1-2018           | Validation Methods for Radiated Emission Test Sites, 1 GHz to 18 GHz                    |
| C63.25.2-draft          | Validation Methods for Radiated Emission Test Sites, 30 MHz to 1 GHz                    |
| C63.25.3-draft          | Validation Methods for Radiated Emission Test Sites, 18 GHz to 40 GHz                   |
| C63.26-2015             | Procedures for compliance testing of licensed transmitters                              |
| C63.27-2021             | Evaluation of Wireless Coexistence  |
| C63.28-draft            | Best Practices for Electromagnetic Compatibility  |
| C63.29-2022             | Lighting products   |
| C63.30-2021             | Wireless Power Transfer Products  |
| C63.31-draft            | ISM equipment (MP-5)  |
| C63.33-draft            | Immunity of Portable Medical Devices to Electronic Article Surveillance (EAS)<br>System |
| C63.34-draft            | Calibration of EMC Test Equipment – Guide   |

#### Reference

https://www.c63.org/documents/misc/matrix/c63\_standards.htm